

SUBJECT INDEX TO VOLUMES 31–37

-A-

- aberrant behavior*, see problem behavior
- abolishing operations*, terminology, 36, 407
- academic behavior*, multiplication facts, 31, 303; effects of peer tutoring, 31, 417; intervention in, 31, 579; oral reading, 31, 659; computer-aided instruction with university students, 32, 205; engagement in, 32, 229; effects of behavioral momentum, 33, 259; effects of establishing operations, 33, 479; effects of methylphenidate, 33, 593; effects of peer tutoring on, 35, 309; allocation of responding to math worksheets, 37, 53; use of response cards, 37, 405
- academic behavior*, see also reading, spelling
- acceptance and commitment therapy*, book review, 35, 323
- acquisition*, of cup drinking, 36, 89; of gross-motor chains, 37, 305
- activity*, by older adults with dementia, 32, 107; independent use of materials, 33, 325; self-injury during transitions, 34, 195
- activity schedules*, creation of using Microsoft® PowerPoint®, 37, 115
- adaptive behavior*, effects of fixed-time schedule on, 34, 333; application of the matching law, 35, 13
- adherence*, accuracy of self-reports, 31, 485; to parenting recommendations, 33, 373
- adolescents*, treatment of chronic hair pulling, 31, 299; critical social skills of, 31, 431; reinforcing variability in autism, 33, 151; improving social interactions, 33, 239
- aerophagia*, treatment with contingent physical guidance, 34, 89
- aggression*, functional analysis of, 31, 103, 33, 511, 34, 225, 237; maintained by termination of requests, 31, 339; during treatment with extinction, 32, 1; symmetrical “do” and “don’t” requests, 32, 519; of persons with severe mental retardation, 33, 109; and functional communication training, 33, 321; satiation versus extinction effects, 33, 419; and developmental disabilities, 34, 73; antecedent control of, 34, 85; descriptive analysis of consequences following, 34, 169; detrimental effects of physical restraint, 34, 501; extinction-induced, 34, 527; application of the matching law, 35, 13; and treatment to reduce rapid eating, 35, 89; evaluation of contingency strength and response suppression, 35, 337; treatment of escape-reinforced, 37, 239
- aging*, problem behavior in, 37, 107
- aluminum can recycling*, increasing, 31, 683
- animal homologue*, of correspondence, 34, 127
- antecedent control*, of classroom behavior, 31, 65; of autistic children’s social interaction, 31, 191; of problem behavior, 33, 207; of a medical self-assessment procedure, 33, 251; and establishing operations, 33, 401; book review, 33, 643; teaching social interactions, 34, 81; of aggression, 34, 85; during functional analysis of aggression, 34, 237; of destructive and aggressive behavior, 36, 297; in the treatment of feeding problems, 37, 159
- antecedent experimental analyses*, and noncompliance, 34, 289; altering classroom instruction to treat destructive behavior, 36, 355; and food selectivity, 36, 361
- anxiety disorders*, behavior-analytic study, 31, 137; and behavioral assessment, 32, 95; and Carl Jung, 32, 533
- applied behavior analysis*, impact on society, 31, 311; text-book review, 31, 501, 34, 551; and Carl Jung, 32, 533; and contextualism (book review), 34, 379; gene–brain–behavior relations, 34, 539; citation analysis, 35, 423, 36, 113
- applied research*, integrating basic and, 33, 119, 359, 36, 421; relevance of adherence to recommendations, 33, 373
- applied research*, see also translational research
- appropriate behavior*, choice and escape, 33, 243
- assessment*, in situ of sexual abuse prevention skills, 31, 91; criteria and standards for, 31, 263; identifying idiosyncratic behavioral functions, 31, 339, 34, 229; of tics, 31, 471; via scatter plot analysis, 31, 593; of treatments for oral reading, 31, 659; of insect phobia, 32, 95; using real-time recording, 32, 119; of indices of unhappiness, 32, 137; of functional analysis methodology, 32, 149; of child behavior disorders, 32, 245; role play and in situ, 32, 385; of problem behavior, 32, 393, 34, 255; of preferences identified in person-centered planning, 32, 467, 33, 639; of reinforcer preferences, 32, 479; of stimulus parameters in home, 32, 495; displacement of leisure items by food during, 32, 515; multiple problem behaviors and extinction, 33, 313; accuracy of reinforcer surveys, 33, 335; of reinforcer dimensions affecting choice, 34, 57; of response class hierarchies, 34, 61; of naturalistic consequences for problem behavior, 34, 169; of basic learning abilities (ABLA test), 35, 49; of job preferences in workers with autism, 35, 85; of texture in feeding problems, 35, 183; of functional analysis methodology, 36, 147; descriptive, 36, 187; of medication and behavioral treatment on disruptive behavior, 36, 375; of skills in children with autism, 37, 11; of variables that control manding, 37, 129; antecedent assessment of reading, 37, 339
- assistance*, teaching to seek when lost, 37, 79
- assistive technology*, voice output communication aid, 31, 561; to reduce problem behavior, 32, 247
- athletic performance*, and simplified habit reversal, 31, 489; and the matching law, 33, 137; effects of form training, 34, 329; reinforcing component skills, 35, 195; effects of goal setting, public posting, and oral feedback, 35, 247
- attention*, as establishing operation and reinforcement, 32, 437; destructive behavior maintained by, 33, 79; as a function of problem behavior, 33, 463; as reinforcement for bizarre speech, 36, 101; aversive stimuli and teacher attention, 36, 339
- attention deficit hyperactivity disorder*, assessment of, 31, 65; and academic achievement, 31, 579; behavioral and drug treatment, 32, 35, 36, 375; teaching self-control, 33, 233; and reinforcer surveys, 33, 335; peer attention, 33, 343; methylphenidate and environment interactions, 33, 573; effects of methylphenidate on classroom behavior, 33, 593; and temporal discounting, 34, 101; developing fluency and endurance, 34, 345; impulsivity and development of self-control, 34, 397; assessment

- and treatment of, 35, 199; effects of strategic versus tactical instructions, 35, 375; treatment of elopement, 37, 229; sensitivity to instructions and changing contingencies, 37, 267; instructional influences on functional analysis, 37, 509
- authorship*, international publication trends in *JABA*, 33, 339
- autism*, social skills training, 31, 117; parent training, 31, 131; social interactions, 31, 191, 34, 229; training discrimination skills, 31, 237; voice output communication aid, 31, 561; teaching social initiations, 31, 651; use of advanced stimulus prompts, 31, 679; reinforcing variability, 33, 151; reinforcer identification, 33, 353; functions of stereotypy in, 33, 559; generalizing and maintaining question asking, 33, 627; teaching social interactions, 34, 81, 37, 93; teaching social communication, 34, 425; self-control in, 34, 491; teaching social initiations, 35, 79; supported work for adults with, 35, 85; functional analysis of ear covering, 35, 95; magnitude and quality of reinforcement, 35, 171; discrete-trial training with children, 35, 187; paired-stimuli preference assessment, 35, 209; language interventions, 35, 213; teaching perspective-taking skills, 36, 253; treatment of verbal perseverations, 36, 259; generalization and maintenance of question asking, 36, 285; autism spectrum disorders, 36, 439; training conditional discrimination skills in children, 36, 507; skills assessment in children, 37, 11; teaching safety skills, 37, 79; treatment of inappropriate vocalizations, 37, 83; teaching leisure skills, 37, 115; teaching dictated-word/symbol relations, 37, 503; discrete-trial training, 37, 535
- automatic reinforcement*, and aggression, 31, 103; of pica, 31, 165, 35, 233; of self-injury, 31, 307, 33, 29; and response chains, 31, 513; assessment and treatment of behavior maintained by, 31, 635, 36, 1, 37, 83; self-injury maintained by, 32, 51; treatment of behavior maintained by, 32, 99, 33, 623; effects of matched stimuli, 33, 13; assessing reinforcers, 34, 145; treatment of hair twirling, 34, 535; behavior maintained by sensory reinforcement, 36, 439; effects of fixed-time reinforcement, 36, 541; and noncontingent access to food, 36, 579; protective equipment and self-injury, 37, 73
- avoidance*, relationship to anxiety, 31, 137; and compliance with respiratory treatment, 32, 233
- awareness enhancement device*, to treat hair pulling, 31, 665; to treat finger sucking, 33, 41; to treat thumb sucking, 34, 77
- B-**
- Baer, Donald M.*, remembrances of, 35, 313, 315, 319
- basic research*, integrating applied and, 33, 119, 359; relevance to application, 34, 241
- basket-hold time-out*, detrimental effects of, 34, 501
- basketball*, and the matching law, 33, 137; effects of form training on performance, 34, 329; behavioral momentum in, 37, 385
- behavior*, see also academic behavior, adaptive behavior, appropriate behavior, disruptive behavior, escape behavior, oppositional behavior, problem behavior, rule-governed behavior, self-injurious behavior, sexual behavior, verbal behavior
- behavior analysis*, epistemology, 31, 709; and problem behavior (book review), 34, 255; application to athletic performance, 35, 195; and acceptance and commitment therapy (book review), 35, 323; and biology (book review), 37, 539
- behavior disorders*, and insect phobia, 32, 95; identification of environmental determinants, 35, 125; treatment with punishment, 35, 431, 465, 469, 475
- behavior modification*, textbook review, 31, 159, 32, 535, 34, 551
- behavior therapy*, contemporary issues in, 31, 311; and acceptance and commitment therapy (book review), 35, 323
- behavioral assessment*, see assessment
- behavioral consultation*, implementation in general education, 33, 271; systems intervention, 36, 583
- behavioral contrast*, and discovery research, 36, 35; in a child's oppositional behavior, 37, 43
- behavioral cusp*, selecting target behaviors, 34, 123
- behavioral economics*, assessment of reinforcers, 34, 145; and treatment of destructive behavior, 34, 211; choice between positive and negative reinforcement, 34, 521
- behavioral history*, and functional analysis, 34, 69
- behavioral medicine*, treatment of chronic skin picking, 34, 217
- behavioral momentum*, applications of, 31, 117; application to behavioral pediatrics, 31, 287; and student compliance during transitions, 32, 339; and resistance to change, 36, 439; in sports, 37, 385
- behavioral pediatrics*, compliance with medical procedures, 31, 287, 32, 217, 233; control of excessive blood glucose monitoring, 34, 497; functional magnetic resonance imaging, 35, 191; empirically supported treatments (book review), 36, 141; diaper use and toilet training, 37, 97; feeding problems, 37, 159
- behavioral pharmacology*, of cocaine abuse, 33, 393; ADHD and methylphenidate, 36, 375
- behavioral psychology*, philosophy of science, 31, 709
- behavioral skills training*, of sexual abuse prevention skills, 31, 91, 32, 385; to prevent gun play, 37, 1, 513; discrete-trial teaching, 37, 535
- behavioral systems analysis*, as applied to schooling, 31, 695
- behavioral treatment*, of mental disorders, 31, 157
- behaviorism*, history of, 33, 263
- bill enactment*, and procrastination by U.S. Congress, 36, 465
- biological factors*, effects on pica, 33, 619
- biology*, and behavior analysis (book review), 37, 539
- brain injured*, self-assessment of blood glucose level, 33, 251; child compliance with brain-injured parent, 34, 221; self-control, 36, 371, 37, 101; and inappropriate sexual behavior, 37, 401
- breath holding*, functional analysis and treatment of, 34, 531
- brief experimental analysis*, applying instructional components to oral reading, 32, 83; to improve oral reading fluency, 35, 271; in outpatient clinics, 37, 145
- bus-riding behavior*, whole-school intervention, 36, 583

## -C-

- carbon monoxide*, measure of cigarette smoking, 35, 415
- changing criterion design*, exposure-based treatment, 34, 497; evaluation of shaping exhalations, 35, 415; increasing food acceptance, 36, 349
- children*, with severe food refusal, 31, 621; teaching math to, 31, 673; reduction of disruptive behavior, 31, 687; problem behavior and academic behavior, 32, 229; assessment and treatment of behavior disorders, 32, 245; self-monitoring of swimming, 32, 389; antecedent analyses of problem behavior, 32, 495; treatment of finger sucking, 33, 41; recombinative generalization and equivalence relations in reading, 33, 515; treatment of thumb sucking, 34, 77; prevention of playground injuries, 34, 349; treatment of food refusal, 35, 65; functional analysis and treatment of problem behavior, 35, 349; managing common problems (book review), 36, 141; training play and developmental disabilities, 36, 367; treatment of problem behavior, 36, 379; eyewitness testimony of, 36, 459; without disabilities, and delayed matching and naming, 36, 487; teaching safety skills, 37, 1, 513; and computer-based instruction, 37, 67; and pretend toy play, 37, 197; delayed constructed-response matching to sample, 37, 223; infant sign language acquisition, 37, 379; safety in shopping carts, 37, 527
- children* see also preschool children
- choice*, and problem behavior, 31, 203; effects of positive and negative reinforcement on, 32, 63; comparing single- and concurrent-operant measures, 32, 161; effects of consequences on, 32, 419; of stimuli as reinforcement, 33, 93; identification of reinforcers, 33, 105; and attention deficit hyperactivity disorder, 33, 233; effects on problem and adaptive behavior, 33, 243; in single-operant and concurrent-schedule procedures, 33, 347; selection of smaller or larger reinforcers, 33, 611; reinforcer dimensions affecting, 34, 57; and treatment of destructive behavior, 34, 211; self-determination in supported work, 34, 341; and self-control in autism, 34, 491; between positive and negative reinforcement, 34, 521; and magnitude and quality of reinforcement, 35, 171; and acceptance and commitment therapy (book review), 35, 323; as treatment for problem behavior, 35, 349; among reinforcer alternatives, 36, 263, 37, 101; signaled delayed reinforcement, 36, 371; between immediate and delayed outcomes, 36, 449; increasing staff provision of, 36, 575; and sleep problems, 37, 209
- choice*, see also preferences, response allocation
- citation analysis*, and applied behavior analysis, 35, 423, 36, 113
- classroom behavior*, improving task engagement, 31, 65; improving, 36, 297; analysis of aversive stimuli, 36, 339; intervention selection model, 36, 563
- client rights*, and modification of activity preferences, 32, 419
- clinical research*, and behavior analysis, 32, 95
- coaching*, effects of form training on basketball performance, 34, 329
- cocaine abuse*, behavior, pharmacology, and clinical applications, 33, 393
- collateral effects*, of response blocking, 36, 119
- common stimuli*, programming of, 32, 211
- communication*, voice output communication aid, 31, 561; functional communication training and reinforcement magnitude, 32, 197; teaching children with autism, 34, 425; evaluation of PECS, 35, 213; as treatment for elopement, 36, 239
- communication*, see also functional communication training
- community behavior analysis*, increasing safety belt use, 31, 655, 36, 249; reduction of bathroom graffiti, 33, 89
- community-based intervention*, with developmentally disabled adults, 32, 221; to seek assistance when lost, 37, 79
- competing response*, duration of in habit reversal, 34, 517
- competing stimuli*, in the treatment of pica, 35, 233; enhancing the effects of extinction, 37, 171
- compliance*, increasing, 31, 687; with medical procedures, 32, 217, 233; by students during transitions, 32, 339; with parenting recommendations, 33, 373; effects of play on, 34, 221; choice between positive and negative reinforcement, 34, 521; effects of treatment on, 36, 379; with dental procedures, 37, 233
- compliance*, see also noncompliance
- computer-based instruction*, 31, 387; and decoding skills, 33, 515; analysis of proctor marking accuracy, 35, 309; feedback and its effectiveness, 35, 427; applications with kindergarten children, 37, 67
- computer-generated graphs*, 31, 245
- computers*, for data collection, 31, 253, 36, 271
- concurrent operants*, assessing reinforcers with, 31, 605; novel versus existing mand, 35, 295
- concurrent schedules*, fixed ratio and response effort, 31, 43; design, 31, 79; effects on preferences, 32, 479; and response bias, 33, 73; choice on, 34, 57, 36, 263; to evaluate response allocation, 34, 73; assessment of impulsivity and self-control in ADHD, 34, 397; and self-control in autism, 34, 491; behavior change and maintenance without extinction, 35, 155; magnitude and quality of reinforcement, 35, 171; assessing reinforcers with, 35, 299; adaptation to changing contingencies and ADHD, 35, 375; treatment of escape-reinforced aggression, 37, 239
- conditional discrimination*, procedures to promote, 31, 237; animal homologue of correspondence, 34, 127
- conditioned establishing operations*, implications and refinements, 33, 401
- conditioned reinforcement*, in discrete-trial training, 35, 187
- conditioning*, of preferences, 36, 59; of food preferences, 36, 361
- conflict analysis*, pedestrian/motor vehicle, 37, 445
- consonant-vowel-consonant words*, identity matching by prereaders, 33, 309
- consultation*, teachers and functional analysis, 35, 73
- contextualism*, and applied behavior analysis (book review), 34, 379

*contiguity*, reductive effects of noncontingent reinforcement, 34, 505

*contingency*, in programmed instruction, 31, 387; direct versus indirect, 33, 1; of reinforcement, 34, 241; identification during analysis of severe behavior disorders, 34, 269; strength and response suppression, 35, 337

*contingency management*, of verbal behaviors, 31, 291

*contingent physical guidance*, treatment of aerophagia, 34, 89

*copy, cover, compare*, method to teach reading, 37, 339

*correspondence*, between verbal and nonverbal behavior, 33, 329; as conditional stimulus control, 34, 127

*counseling*, via e-mail, 37, 421

*covariation*, of habits, 31, 447; of problem behavior, 32, 269

*crossmodal matching*, assessment of, 31, 237

*cue value*, and conditioned reinforcement, 35, 187

*cultural practices*, behavior analysis of cultural phenomena, 32, 121

*cumulative review*, college mathematics curriculum, 35, 105

*curricular modifications*, as a classroom intervention, 34, 233

#### -D-

*dance*, training procedures for preschoolers, 37, 305

*data*, issues related to reproduced, 31, 703

*data analysis*, statistical process control, 31, 593; and functional analysis, 33, 113; changes in response efficiency, 34, 487

*data collection*, by computer, 31, 253

*delay discounting*, of problem gamblers, 36, 449

*delayed reinforcement*, see reinforcement delay

*demand fading*, as treatment for food selectivity, 36, 383

*dementia*, treating problem behavior, 32, 381, 35, 99; reacquisition of verbal behavior in, 33, 631; prompting to dress with minimal assistance, 36, 129

*deprivation*, effects on engagement, 33, 495

*descriptive analysis*, of consequences for problem behavior, 34, 169, 37, 431; of severe behavior disorders, 34, 269; methodology and problem behavior, 35, 137; of self-injury, 36, 267

*destructive behavior*, during mealtime, 31, 691; attention maintained, 33, 79; and academic tasks, functional analysis of, 33, 479; effects of fixed-time schedule on, 34, 333; sequential and matching analysis of, 36, 267

*developmental disabilities*, children in schools, 31, 21; problem behavior in, 31, 203, 33, 511; recruiting teacher praise in regular classroom, 31, 399; and functional analysis, 31, 475, 33, 207; adults with, 31, 493, 32, 529; assessment of reinforcers with, 31, 605; treatment challenges and DRA, 32, 9; and mood disorder, 32, 103; assessment of reinforcer preferences, 32, 111; decreasing indices of unhappiness, 32, 137; effects of reinforcement choice, 32, 161, 33, 347; adults with behavior problems, 32, 221; self-feeding, 32, 225; functional analysis of problem behavior, 32, 437, 33, 511; children with severe problem behavior, 32, 451; and person-centered planning, 32, 467; antecedent analyses of children's problem behavior, 32, 495; displacement of leisure items by food during preference assessments, 32, 515; treatment of destructive behavior, 33, 73, 79; establishing operations, 33, 495; treatment of self-injury and aggression, 33, 545; and effects of fixed-time schedules, 34, 1; treating aggression in, 34, 73; teaching social interactions, 34, 81; treatment of aerophagia, 34, 89; identification of contingencies, 34, 269; inappropriate verbal behavior, 34, 361; relative reinforcement effects, 34, 463; analyzing changes in response efficiency, 34, 487; reductive effects of noncontingent reinforcement, 34, 505; functional analysis and treatment of breath holding, 34, 531; application of the matching law to problem behavior, 35, 13; assessing preferences of, 35, 49, 36, 47, 59; and functional communication training, 35, 59; treatment for rapid eating, 35, 89; treatment of food selectivity, 35, 259; vocational task preference, 35, 287; evaluation of problem behavior, 35, 291; and noncontingently available alternative stimuli, 35, 407; teaching mathematics problem-solving skills, 36, 21; self-management by young children, 36, 133; training play in children, 36, 367; diaper use and toilet training, 37, 97; activity schedules for, 37, 115; vocal mand assessment and training, 37, 129; sleep problems in, 37, 209; functional analysis of tardive dyskinesia, 37, 391

*diabetes*, self-management of, 33, 251; and control of excessive blood glucose monitoring, 34, 497

*dictated-words/symbol relations*, teaching to autistic children, 37, 503

*differential observing responses*, reduction of stimulus overselectivity, 32, 25

*differential reinforcement*, of a replacement mand, 31, 357; as treatment, 32, 9; of other behavior, schedules of, 32, 123; as treatment of cigarette pica, 32, 297; treatment of habits, 32, 353; and treatment of dementia, 32, 381; of alternative behavior, 33, 195; of alternative behavior and schedule thinning, 34, 17; as treatment for bizarre vocalizations, 34, 65; as treatment for food refusal, 34, 93, 511; treatment of destructive behavior with food, 34, 97; noncompliance and task completion, 34, 289; choice between positive and negative reinforcement, 34, 521; reinforcement magnitude during treatment, 35, 29; preparing children for magnetic resonance imaging, 35, 191; and children with ADHD, 35, 199; of other behavior, 35, 337; of alternative behavior for food refusal, 35, 363; increases in other responses, 36, 221; negative and treatment of problem behavior, 36, 379; as treatment for food selectivity, 36, 383; thinning reinforcer delivery, 37, 213; to treat disruptive behavior, 37, 411; to reduce tics, 37, 417

*disability*, social model of, 31, 509

*disability*, see also developmental disabilities, physical disabilities

*discovery research*, progressing from programmatic to, 36, 35

*discrete-trial teaching*, training staff implementation, 37, 535

- discrimination*, assessment of with persons with developmental disabilities, 35, 49
- discrimination training*, and functional communication training, 31, 543
- discriminative stimulus*, effects on responding, 33, 299; noncompliance and task completion, 34, 289
- disruptive behavior*, reduced with noncontingent escape, 31, 687; functional communication training and, 32, 197, 33, 321; in elderly dementia patients, 35, 99; and descriptive assessment methodology, 35, 137; vocational setting assessment, 36, 125; treatment with response cost and differential reinforcement of other behavior, 37, 411
- dissemination*, of behavioral interventions, 36, 141
- driving behavior*, use of seat belts, 33, 635, 36, 249; measurement of, 34, 39; and pedestrian safety, 37, 351
- drug abuse*, treatment of heroin addicts, 31, 291; and temporal discounting, 34, 101
- drug abuse*, see also cocaine abuse
- drug-behavior interactions*, in treatment of ADHD, 32, 35
- dual diagnosis*, and behavioral treatment, 32, 103
- dualism*, and behavior analysis, 31, 707
- duration*, of item contact as an index of stimulus preferences, 32, 111
- E-
- early intervention*, toddlers with disabilities, 37, 197
- eating*, unsafe behavior, 32, 225; treatment for rapid, 35, 89; expulsion and texture assessment, 35, 183
- eating*, see also food refusal, food selectivity, pediatric feeding disorders
- education*, effective tools for, 31, 21, 673; comprehensive behavioral systems, 31, 695; intervention implementation in general, 33, 271; for adults with severe disabilities, 37, 365
- elderly*, independent use of activity materials, 33, 325; seat belt use by, 33, 635; disruptive behavior of dementia patients, 35, 99; dressing routines, 36, 129; problem behavior in, 37, 107
- elopement*, assessment and treatment of, 36, 239, 37, 229
- embedded teaching*, by support staff for children with disabilities, 34, 313
- emotional and behavior disorders*, behavior-analytic study, 31, 137
- endurance*, developing in ADHD, 34, 345
- English as a second language*, response cards in teaching, 37, 219
- environmental enrichment*, effects on negative affect and SIB, 32, 103; to treat stereotypy, 37, 481
- environmental political action*, use of newsletter prompts, 37, 427
- epidemiology*, of problem behavior, 37, 283
- epistemology*, behavioral approaches, 31, 709
- equivalence classes*, formation of, 37, 67
- ergonomics*, improving office-related behaviors, 37, 457
- error correction*, timing of instructional feedback, 31, 303; in treatment of destructive behavior, 36, 355
- errors*, in using reinforcement and extinction, 33, 167
- escape behavior*, functional analysis of, 31, 669, 32, 285, 34, 229; noncontingent escape as treatment, 31, 687; treatment via response cost, 33, 255; behavior maintained by, 34, 69, 36, 105; evoked by noise, 34, 447; choice between positive and negative reinforcement, 34, 521; as reinforcer for food acceptance, 36, 349; noncontingent escape as treatment of problem behavior, 36, 379
- escape extinction*, treatment of food refusal, 31, 691, 34, 511, 35, 363, 36, 309; effects on problem and adaptive behavior, 33, 243
- establishing operations*, for problem behavior, 32, 371, 393, 34, 447; displacement of leisure items by food during preference assessments, 32, 515; and functional communication training, 33, 53; and preference assessments, 33, 85; implications and refinements, 33, 401; current research and functional analysis, 33, 411; during NCR, 33, 433; influence during functional analysis, 33, 451, 463, 34, 237; academic tasks and problem behavior, 33, 479; effects of deprivation on engagement, 33, 495; transitional objects and thumb sucking, 33, 507; book review, 33, 643; social proximity as, 34, 85; destructive behavior and food reinforcement, 34, 97; role in food selectivity, 35, 259, 36, 361; meals as, 35, 411; influence on problem behavior maintained by different reinforcers, 36, 297; effects on escape behavior, 36, 355; terminology, 36, 407; sensitization and habituation as, 36, 421; that influence noncompliance, 37, 145
- evaluation*, normative based, 37, 365
- exclusion-based learning*, enhanced outcomes and autism, 36, 507; teaching dictated-word/symbol relations, 37, 503
- exhalation duration*, and carbon monoxide detection, 35, 415
- experimental analysis of behavior*, gene-brain-behavior relations, 34, 539
- experimental design*, control conditions, 36, 221; multiple probe design across tasks, 37, 111
- explanation*, biology and behavior analysis (book review), 37, 539
- exposure therapy*, and Carl Jung, 32, 533
- exposure-based treatment*, and changing criterion design, 34, 497
- extinction*, with functional communication training, 31, 211; and magnitude of reinforcement, 31, 313; disruption of response-reinforcer relationship, 31, 475; schedule effects, 31, 529; of self-injurious behavior, 32, 1, 99; effects of reinforcement magnitude on spontaneous recovery during, 32, 197; of problem behavior, 32, 269; analysis of sequential effects, 33, 313; versus satiation under NCR, 33, 419; during NCR, 33, 433; with differential reinforcement, 34, 65; of multiple aggressive behaviors, 34, 85; reinforcement magnitude and resistance to, 35, 29; and acquisition of functional communication, 35, 59; vs. NCR and DRO, 36, 221; and response rates during noncontingent reinforcement, 36, 525; of food refusal, 37, 27; with and without noncontingent attention or toys, 37, 171; and dense reinforcement schedules, 37, 323

*extinction*, see also escape extinction, sensory extinction  
*eyewitness testimony*, social antecedents of children's, 36, 459

## -F-

*fading*, bedtimes with response cost, 31, 127; to increase fluid consumption, 34, 357; of instructions, 35, 291; to increase food variety, 37, 159; of reinforcer delivery, 37, 213

*feedback*, enabling the providing of, 31, 263; and instructional improvement, 31, 417; industrial applications, 32, 241; verbal instructions and reinforcement, 35, 195; for maintaining supervisory performance, 35, 205; effects on athletic performance, 35, 247; via public address system, 35, 305; accuracy and classification of, 35, 309, 427; and treatment of destructive behavior, 36, 355; staff training, 37, 535

*finger sucking*, analysis and treatment, 33, 41

*finger nail biting*, treatment with habit reversal, 32, 353; duration of competing response, 34, 517

*fixed-interval schedules*, and U.S. Congress, 36, 465

*fixed-time schedules*, effects of, 31, 529; for reducing behavior, 32, 237; and baseline reinforcement rate, 34, 1; effects on aberrant and adaptive behavior, 34, 333; to maintain behavior, 34, 337; reductive effects of noncontingent reinforcement, 34, 505; food presentation as treatment for hand mouthing, 36, 541

*fluency*, developing in ADHD, 34, 345

*follow-up*, acquisition of tacts, 35, 419

*food*, stealing in Prader-Willi syndrome, 33, 615; as a reinforcer before and after meals, 35, 411

*food refusal*, treatment of, 31, 621, 691, 34, 93, 35, 65, 363, 36, 89, 309, 349, 37, 27; using fading to increase fluid consumption, 34, 357; by young children, 36, 105; treatment of with blending techniques, 37, 159

*food selectivity*, assessment of, 31, 621; treatment of by parents, 34, 511, 36, 383; and texture assessment, 35, 183; simultaneous and sequential presentation of preferred and nonpreferred food, 35, 259; treatment of, 36, 361; treatment of with blending techniques, 37, 159

*football*, performance management, 35, 1

*function-based treatments*, matching treatment to function, 31, 475

*functional analysis*, of children with ADHD, 31, 65; of problem behavior, 31, 79, 32, 371, 33, 13, 109, 463, 511, 35, 295, 37, 283; of aggression, 31, 103, 32, 451, 34, 73, 225, 237; and response-response relations, 31, 339; of habits, 31, 447; of tics, 31, 471; of destructive behavior, 31, 475, 33, 479; of self-injury, 31, 479, 635, 647, 32, 99, 123, 317, 33, 195, 223, 451, 34, 17; of property destruction and stereotypy, 31, 513; as assessment, 31, 529; of self-injurious escape behavior, 31, 669; in schools, 31, 679; of aberrant behavior, 32, 9, 33, 113; and treatment of hyperactivity, 32, 35; and treatment of self-injury, 32, 51; brief versus extended, 32, 149; outcome comparisons based on 5-, 10-, and 15-min sessions, 32, 175; of aggression and self-injury, treatment choice, 32, 185, 33, 545; false-positive results

and incidental maintenance, 32, 201; of antecedent events, 32, 229; of self-injury and aggression, 32, 247, 33, 167; response class hierarchies and, 32, 269; of escape behavior, 32, 285, 33, 255, 34, 211, 229; of cigarette pica, 32, 297; of hair pulling, 32, 329; of severe problem behavior, 32, 437; of finger sucking, 33, 41; brief, in outpatient clinical settings, 33, 109; simulation for training purposes, 33, 181; of self-injury and stereotypy, 33, 207; effects of different adults as therapists, 33, 247; of stereotypy, 33, 285; effects of discriminative stimuli with multielement designs, 33, 299; use of extinction in, 33, 313; of disruptive classroom behavior, 33, 343; influence of establishing operations during, 33, 411; of stereotypy in autism, 33, 559; clarifying inconclusive outcomes, 34, 61; brief, of bizarre vocalizations, 34, 65; naturalistic observation of consequences used in, 34, 169; of self-injury during transitions, 34, 195; classroom based, 34, 233; of problem behavior (book review), 34, 255; of tics in Tourette's syndrome, 34, 353; of inappropriate verbal behavior, 34, 361; book review, 34, 365; of problem behavior evoked by noise, 34, 447; detrimental effects of physical restraint, 34, 501; and treatment of breath holding, 34, 531; and treatment of hair twirling, 34, 535; of problem behavior, 35, 59; role of protective equipment, 35, 69; teacher acquisition of methodology, 35, 73; of stereotypical ear covering, 35, 95; of disruptive behavior of dementia patients, 35, 99; of precursor behaviors, 35, 125; descriptive assessment methodology, 35, 137; in children with ADHD, 35, 199; effect of therapist attention on self-injury, 35, 283; via reinforcer assessments, 35, 299; with multiple maladaptive behaviors, 35, 299; of problem behavior in the classroom, 35, 349; and noncontingently available alternative stimuli, 35, 407; of behavior maintained by automatic reinforcement, 36, 1; of bizarre speech, 36, 101, 37, 395; brief, of disruption in a vocational setting, 36, 125; of problem behavior, a review, 36, 147; of inappropriate mealtime behavior, 36, 187; of self-injury in young children, 36, 205; of elopement, 36, 239, 37, 229; of verbal perseverations in an adult with autism, 36, 259; of aversive stimuli in classroom demand contexts, 36, 339; of food selectivity, 36, 383; teachers as therapists, 36, 563; of skills in children with autism, 37, 11; protective equipment and self-injury, 37, 73; training teachers to implement, 37, 89; and treatment of destructive behavior, 37, 171; analogue, of tardive dyskinesia, 37, 391; of inappropriate sexual behavior, 37, 401; instructional effects on, 37, 509

*functional communication training*, as a treatment for problem behavior, 31, 211, 33, 321, 34, 229; component analysis and discrimination training, 31, 543; as treatment, 31, 647; treatment for aggression and self-injury, 32, 185; and severe behavior problems, 32, 247, 451; effects of, 33, 53; and access to preferred stimuli, 33, 73; effects of continuous and intermittent reinforcement, 33, 167; noncontingent and contingent reinforcement, 33, 195; and schedule thinning, 34, 17; to reduce aberrant behavior, 34, 73; and choice, 34, 211;

effects of extinction on, 35, 59; to reduce problem behavior maintained by negative reinforcement, 35, 295; treatment of escape-reinforced aggression, 37, 239; thinning reinforcement schedules, 37, 323  
*functional equivalence*, and establishing operations, 33, 53

**-G-**

*gambling*, and delay discounting, 36, 449  
*generalization*, of sexual abuse prevention skills, 31, 91, 32, 385; of a replacement mand, 31, 357; recruiting teacher praise, 31, 399; of reductions in problem behavior, 32, 247; in treatment of phonological disorder, 36, 325; of exclusion-based conditional discriminations to undefined stimuli, 36, 507; of academic responding, 37, 111; of martial arts techniques, 37, 185; by recombination of textual units, 37, 223  
*genetics*, gene-brain-behavior relations, 34, 539; in a child's oppositional behavior, 37, 43  
*geographical origin*, of JABA authors, 33, 339  
*geriatric patients*, engagement in activities, 32, 107, 33, 325; and differential reinforcement, 32, 381  
*goal setting*, and football performance, 35, 1; and soccer performance, 35, 247  
*graduate students*, training of (book review), 37, 243  
*graffiti*, reduction through sign usage, 33, 89  
*graphic presentation*, of single-case data, 31, 245  
*gross-motor skills*, acquisition by preschoolers, 37, 305

**-H-**

*habit disorders*, treatment of, 31, 447, 32, 353; thumb sucking and transitional objects, 33, 507; treatment of with awareness enhancement device, 34, 77  
*habit reversal*, review and analysis, 31, 447; treatment of fingernail biting, 32, 353; of skin picking, 34, 217; duration of competing response, 34, 517; of vocal tics in children, 36, 109  
*habit reversal* see also simplified habit reversal  
*habits*, treatment of, 31, 471; tics in Tourette's syndrome, 34, 353, 36, 109  
*hair pulling*, treatment of, 31, 299, 665; analysis of, 32, 329  
*hair twirling*, functional analysis and treatment of, 34, 535  
*hand flapping*, classroom-based functional assessment, 34, 233  
*hand mouthing*, treatment of, 31, 375; reduction using fixed-time food, 36, 541  
*happiness*, increasing indices of and severe disabilities, 32, 137; in profound multiple disabilities, 37, 531  
*health*, in community settings, 32, 221  
*heroin addicts*, verbal behavior of, 31, 291  
*high-probability requests*, and compliance with medical procedures, 31, 287; and student compliance during transitions, 32, 339; to increase compliance, 33, 259  
*high-probability sequence*, in the treatment of food refusal, 36, 105  
*home-based intervention*, for escape-maintained problem behavior, 32, 495  
*horses*, target training and shaping, 34, 409  
*human operant research*, methods in, 33, 119

*hypoglycemia*, control of excessive blood glucose monitoring, 34, 497  
*hypothetical constructs*, thoughts and emotions as, 31, 705  
*hypoxia*, functional analysis and treatment of breath holding, 34, 531

**-I-**

*identity matching*, training with prereaders, 33, 309  
*impulsivity*, effects of reinforcer delay, 31, 203; assessment of, 32, 451; and attention deficit hyperactivity disorder, 33, 233, 34, 397  
*in situ training*, to prevent gun play in children, 37, 513  
*in vivo desensitization*, to increase compliance with dental procedures, 37, 233  
*inclusion*, toddlers with disabilities, 37, 197  
*incontinence*, effects of diaper wearing, 37, 97  
*industrial applications*, of behavioral principles, 32, 241  
*infants*, see children  
*injury prevention*, and behavioral principles, 32, 241; decreasing risk taking on playground, 34, 349  
*inpatient treatment*, goals of, 31, 157; of problem behavior, 37, 283  
*instructional control*, of functional analysis outcomes, 37, 509  
*instructional hierarchy*, noncompliance and task completion, 34, 289  
*instructional strategies*, learning multiplication facts, 31, 323; book review, 33, 643; effects of strategic versus tactical instructions, 35, 375; teacher-directed vs. student-directed, 36, 133; use of response cards, 37, 405  
*instructions*, versus modeling on sensitivity to reinforcement schedules, 37, 267  
*interaction*, in programmed instruction, 31, 387; social, of adolescents in residential care, 33, 239  
*intermittent reinforcement*, and functional communication training, 35, 59  
*interpretation*, biology and behavior analysis (book review), 37, 539  
*interventions*, informational, 33, 101; play as antecedent, 34, 221; home-based pyramidal parent training, 36, 77; selection model for classrooms, 36, 563; school-based to improve bus-riding behavior, 36, 583

**-J-**

*Journal of Applied Behavior Analysis*, authorship trends, 31, 497, 33, 339  
*journals*, citation analysis, 36, 113; prompting timely peer review, 37, 523  
*Jung, Carl*, and behavior analysis, 32, 533

**-K-**

*Keller, Fred S.*, influences on education, 31, 695

**-L-**

*lag schedules*, to increase response variability, 35, 391  
*Lalli, Joseph S.*, in remembrance, 34, 559  
*language*, generalization of a replacement mand, 31, 357; spontaneous question asking, 33, 627; teaching social

- interactions to children with autism, 34, 81; spontaneous question asking, 36, 285
- language*, see also sign language
- learning*, effect of prior, 31, 503; book review, 31, 713
- learning disabilities*, learning multiplication facts, 31, 323; response cards in teaching, 37, 219
- leisure activities*, assessment of preference, 34, 179; training skills with activity schedules, 37, 115
- lists*, effects of writing on MTS performance, 31, 1
- literature review*, of functional analysis methodology, 32, 185
- logical positivism*, and behavior analysis, 31, 707
- lottery*, to promote math performance, 35, 403
- M-
- magnetic resonance imaging*, preparation of children for, 35, 191
- mainstreaming*, recruiting teacher praise, 31, 399
- maintenance*, of accurate math responses, 32, 211; of proenvironmental behavior, 33, 101; and fixed-time schedules, 34, 337; and concurrent schedules, 35, 155; of supervisor performance, 35, 205; of staff behavior, 36, 575
- mands*, evaluating the effects of, 33, 53; alternative communicative response, 35, 295; mand-tact training, 35, 419; vocal mand assessment and training, 37, 129; in the classroom, 37, 517
- martial arts*, promoting response variability in, 37, 185
- matching*, effects of modeling versus instructions on, 37, 267
- matching analysis*, of self-injury, 36, 267
- matching law*, application to basketball performance, 33, 137; and NCR, 33, 433; applied importance of, 33, 573; reinforcer dimensions affecting choice, 34, 57; and noncontingent and alternative reinforcement, 37, 249
- matching to sample*, assessment of memory for complex samples, 31, 1; procedures to promote, 31, 237; stimulus overselectivity, 32, 25; and exclusion, 33, 97; complex samples and naming, 36, 487; delayed constructed response, 37, 223
- mathematics*, number line procedures, 31, 417; maintenance of performance, 32, 211; and token rewards, 32, 375; training problem solving, 35, 105, 36, 21
- measurement*, criteria and standards for, 31, 263; accuracy of self-reports, 31, 485; and probabilistic reward, 35, 403
- mediation*, use of written lists, 31, 1
- medical regimens*, accuracy of self-reports, 31, 485
- medication*, evaluation of methylphenidate, 33, 593; and task performance in mental retardation, 36, 245
- memory aid*, for brain injured, 33, 251
- mental hospitals*, purpose of, 31, 157
- mental illness*, inappropriate verbal behavior, 34, 361
- mental retardation*, and severe problem behavior, 31, 211; attention-maintained problem behavior, 32, 371; and mental illness, 33, 611; paired-stimulus preference assessment, 35, 209; smoking cessation program, 35, 415; medication and task performance, 36, 245
- mentally retarded adolescents*, assessing social skills of, 31, 431; stimulus overselectivity, 32, 25
- mentally retarded adults*, concurrent schedules, 31, 43; teaching sexual abuse prevention to, 31, 91, 32, 385; and recombinative generalization of sound–print correspondences, 36, 95; teaching self-control, 36, 263; increasing compliance with dental procedures, 37, 233
- mentally retarded children*, treatment of pica, 33, 619; pyramidal parent training, 36, 77; delayed matching and naming, 36, 487
- metacontingencies*, analysis of cultural practices, 32, 121
- methodological behaviorism*, and behavior analysis, 31, 707
- methylphenidate*, treatment of disruptive behavior, 32, 35; assessment of separate and combined effects on disruptive behavior, 36, 375
- Microsoft® Visual Basic*, programming for data collection, 36, 271
- mnemonic strategies*, learning multiplication facts, 31, 323
- modeling*, effects on verbal behavior in severe dementia, 33, 631; versus instructions on sensitivity to reinforcement schedules, 37, 267; and gross-motor skill training, 37, 305
- modeling*, see also video modeling
- motion control*, during magnetic resonance imaging, 35, 191
- motivating operations*, terminology, 36, 407
- mouthng*, see hand mouthng, object mouthng
- multielement design*, differential responding with and without discriminative stimuli, 33, 299
- multioperant behavior*, stereotypy in autism, 33, 559
- multiple control*, of destructive behavior, 34, 97
- multiple disabilities*, preference assessment in supported work, 31, 281
- multiple-exemplar training*, generalizing exclusion skills, 36, 507
- N-
- nail biting*, see fingernail biting
- naming*, role of in delayed matching, 36, 487
- negative reinforcement*, see reinforcement
- neuroscience*, gene–brain–behavior relations, 34, 539
- newsletters*, as prompts for environmental political action, 37, 427
- noise*, problem behavior evoked by, 34, 447
- noncompliance*, effects of high-probability requests, 31, 287; brief functional assessment of, 37, 145
- noncontingent reinforcement*, and reinforcement magnitude, 31, 313, 32, 529; schedule effects, 31, 529; as treatment for self-injury, 31, 635; proper use of term, 32, 237, 239; as treatment of cigarette pica, 32, 297; treatment of attention-maintained behavior, 33, 79; during response acquisition, 33, 195; schedule effects and self-injury, 33, 223; peer attention and disruptive classroom behavior, 33, 343; satiation versus extinction effects, 33, 419; operant mechanisms, 33, 433; and variable-time schedules, 33, 545; arbitrary reinforcers to reduce self-injury, 33, 623; and effects of fixed-time schedules, 34, 1; treatment of food refusal, 34, 93, 37, 27; fixed-time schedules to maintain behavior, 34, 337; reductive ef-

- fects of, 34, 505; as treatment for disruptive behavior, 35, 99; for behavior maintained by automatic reinforcement, 36, 1, 37, 83; evaluation of long-term treatment effects, 36, 1; maintenance of behavior, 36, 221; effects of reinforcer consumption and magnitude, 36, 525; as treatment for hand mouthing, 36, 541; effects on rate of object mouthing, 36, 579; enhancing the effects of extinction, 37, 171; and the matching law, 37, 249; thinning reinforcement schedules, 37, 323; for bizarre speech, 37, 395
- novelty*, training college students, 35, 105
- nursing assistants*, training, 32, 107
- nutrition*, in developmentally disabled adults, 32, 221
- O-
- object manipulation*, and stereotypic self-injurious behavior, 32, 51
- object mouthing*, effects of noncontingent access to food, 36, 579
- observation*, via computerized systems, 31, 253; via scatter plot, 31, 593; using real-time recording, 32, 119; and measurement of driving behavior, 34, 39; the matching law and problem behavior, 35, 13; effects on observer's behavior, 37, 457
- off-task behavior*, assessment and treatment of, 35, 199; effects of a public address system on, 35, 305
- office buildings*, informational interventions in, 33, 101
- oppositional behavior*, generalization of a child's, 37, 43
- oral-digital habits*, duration of competing response, 34, 517
- organizational behavior management*, in education, 31, 695; and safety, 32, 241; and energy saving, 33, 101
- outcome management*, for improving staff performance, 36, 575; for improving treatment services, 37, 365
- outpatient treatment*, of pica, 33, 619
- overjustification effect*, case example of, 36, 35
- P-
- parent training*, to provide feedback to spouse, 31, 131; increasing adherence to recommendations, 33, 373; home-based pyramidal, 36, 77; to implement pediatric feeding protocols, 36, 545; in treatment of child's oppositional behavior, 37, 43
- parents*, as therapist for sleep problems, 31, 127; as therapists for food selectivity, 36, 383
- participant reactivity*, measurement of driving behavior, 34, 39
- pedestrian safety*, citywide intervention, 37, 351; at multi-lane crosswalks, 37, 445
- pediatric feeding disorders*, treatment of, 36, 105, 36, 309; inappropriate mealtime behavior, 36, 187; training parents to treat, 36, 545
- pediatrics*, see behavioral pediatrics
- pedometer*, use in promotion of physical activity, 37, 421
- peer interaction*, and children with autism, 34, 425
- peer tutoring*, with elementary school children, 31, 417; as an intervention for ADHD, 31, 579; cross-age social skills training, 32, 115
- peer-mediated treatment*, and children with ADHD, 35, 199
- performance*, criteria for measuring, 31, 263; management of athletic performance, 35, 1; accuracy of in magnetic resonance imaging, 35, 191; maintenance of with supervisors, 35, 205
- person-centered planning*, evaluation of preferences, 32, 467, 33, 639
- personalized system of instruction*, as a teacher training package, 31, 695; computer aided, 32, 205, 35, 309, 427
- perspective-taking skills*, teaching children with autism, 36, 253
- pervasive developmental disorder*, effects of fixed-time schedule on, 34, 333; using fading to increase fluid consumption, 34, 357
- philosophical behaviorism*, history of, 33, 263
- philosophy*, behavioral and medical, 31, 311
- phobic behavior*, insects, 32, 95
- phonics instruction*, computer-based, 37, 67
- phonological disorder*, treatment of, 36, 325
- physical activity*, increasing in overweight adults, 37, 421
- physical disabilities*, spelling instruction, 37, 469
- physical education*, behavior analysis in, 31, 163; effects of a public address system on off-task behavior, 35, 305
- physical therapy*, increasing compliance, 36, 371; choices and acquired brain injury, 37, 101
- pica*, treatment of social and automatic functions, 31, 165; assessment and treatment of cigarette, 32, 297; biological intervention, 33, 619; response blocking with and without redirection, 34, 527; varying response effort in treatment of, 35, 233
- pictorial cues*, in activity schedules for autistic children, 31, 191; and social communication in autism, 34, 425
- pictorial prompts*, blocking effect on sight reading, 33, 317
- picture exchange communication system*, evaluation of, 35, 213
- pigeons*, animal homologue of correspondence, 34, 127
- play*, training children with developmental disabilities, 36, 367; pretend play in toddlers with disabilities, 37, 197
- playground*, injury prevention, 34, 349
- Pocket PC®*, programming, 36, 271
- police*, enforcement and pedestrian safety, 37, 351
- positive reinforcement*, see reinforcement
- practice*, effects of review procedures, 35, 105
- Prader-Willi syndrome*, food stealing, 33, 615
- praise*, recruited by students with disabilities, 31, 399; to encourage engagement, 32, 107
- precision teaching*, in ADHD, 34, 345
- precurrent behavior*, in solving mathematics story problems, 36, 21
- precursor behaviors*, and behavior disorders, 35, 125
- preferences*, assessment of for oral stimulation, 31, 165; pre-work assessment of, 31, 281; to identify reinforcers, 31, 605; duration- and approach-based assessments, 32, 111; as a function of access to chosen activities, 32, 419; evaluation of in person-centered planning, 32, 467, 33, 639; comparison of methods for assessing, 32, 479; displacement of leisure items by food during preference assessments, 32, 515; assessment in identification of competing stimuli, 33, 13; assessments and establishing operations, 33, 85; of stimuli as reinforcement, 33, 93;

- assessment of less preferred items, 33, 105; for positive vs. negative reinforcement, 33, 255; comparison of verbal and tangible stimulus preference assessments, 33, 329; assessment in naturalistic context, 33, 353; establishing operations, 33, 495; for unreliable reinforcement, 33, 533; longitudinal analysis of assessment, 34, 179; relative reinforcement effects, 34, 463; single stimulus engagement assessment, 34, 475; assessment of with persons with developmental disabilities, 35, 49; of adults with autism in supported work, 35, 85; paired-stimuli assessment, 35, 209; for vocational tasks, 35, 287; for leisure and work activities, 36, 47, 59; assessment in food selectivity, 36, 361; assessment of in profound multiple disabilities, 37, 531
- Premack principle*, and response restriction, 33, 285, 36, 59
- preschool children*, concurrent schedules, 31, 43; social skills of, 31, 117; effects of choice making on behavior, 32, 63; with and without disabilities, 33, 93; assessment of problem behavior, 34, 61; embedded teaching by support staff, 34, 313; treatment of self-injury, 36, 205; treatment of disruptive behavior, 37, 411; descriptive analysis of problem behavior, 37, 431
- prevention*, of problem behavior, 32, 393; of gun play in children, 37, 1
- priming*, applications of, 31, 117; to establish schedule sensitivity, 37, 267
- private events*, problems posed by, 31, 705; and behavior analysis, 31, 707
- problem behavior*, assessment of multiply controlled, 31, 79; severe with individuals with developmental disabilities, 31, 211; maintained by automatic reinforcement, 31, 493; treatment of, 31, 529; effects of choice on, 32, 63; functional analysis of, 32, 269; and establishing operations, 32, 393, 33, 401; assessment of, 33, 113; stereotypy in autism, 33, 559; suppression of covert food stealing, 33, 615; changes in response efficiency, 34, 487; stereotypical ear covering, 35, 95; and concurrent schedules, 35, 155; ancillary effects of PECS, 35, 213; assessment of mand selection for FCT, 35, 295; choice of activity as treatment, 35, 349; severe, 35, 407; review of functional analysis methodology, 36, 147; and establishing operations in classroom setting, 36, 297; effects of treatment on, 36, 379; short-term inpatient model to assess and treat, 37, 283; in the preschool classroom, 37, 431
- problem solving*, training college students, 35, 105; by teaching precurent skills, 36, 21
- procrastination*, by U.S. Congress, 36, 465
- profound multiple disabilities*, decreasing indices of unhappiness, 32, 137; identification of preferences, 32, 467; increasing indices of happiness, 37, 531
- programmed instruction*, 31, 387
- progressive-ratio schedules*, assessment of reinforcers, 34, 145
- prompting*, initiations using a tactile prompt, 31, 651, 35, 79; safety belt use, 31, 655, 36, 249; engagement by older adults with dementia, 32, 107; signs to reduce bathroom graffiti, 33, 89; drivers at stop signs, 34, 185; graduated with adults with dementia, 36, 129; effects of delayed prompts on infant sign language acquisition, 37, 379; newsletters as prompts for political action, 37, 427; signs vs. pavement markings, 37, 445; constant delayed-prompt procedure to teach spelling, 37, 469; of timely journal reviews, 37, 523; safety-belt use in shopping carts, 37, 527
- prompting*, see also pictorial prompts, textual prompts
- protective equipment*, role of in functional analysis, 35, 69, 37, 73
- psychological behaviorism*, history of, 33, 263
- public address system*, effects on off-task behavior in physical education, 35, 305
- public policy*, behavioral assessment of, 31, 311
- public posting*, effects on football performance, 35, 1; effects on soccer performance, 35, 247
- publication history*, trends in *JABA* authorship, 31, 497, 33, 339
- punishment*, with functional communication training, 31, 211; effects of reinforcement during, 32, 317; response blocking as, 32, 367; delayed, 33, 615; review of basic and applied research, 35, 431, 465, 469, 475; and discovery research, 36, 35
- pyramidal training*, home-based with parents, 36, 77

## -Q-

- quantitative analysis*, athletic performance and the matching law, 33, 137
- question asking*, about hidden objects in autism, 33, 627, 36, 285

## -R-

- radical behaviorism*, and behavior analysis, 31, 707
- reading*, effects of contingencies and instruction, 31, 659; brief experimental analysis of instructional components, 32, 83; acquisition and recombinatory generalization, 33, 97; blocking effect of pictorial prompts on sight reading, 33, 317; recombinative generalization and equivalence relations in, 33, 515; improving oral reading fluency, 35, 271, 37, 111; and adults with mental retardation, 36, 95; developing prerequisites for, 36, 95; assessment of teaching methods, 37, 339
- real-time recording*, observation and assessment, 32, 119
- recombinative generalization*, and equivalence relations in reading, 33, 515; of sound–print correspondences, 36, 95
- redirection*, response blocking, with and without, 34, 527
- reinforcement*, to increase food acceptance, 31, 691; effects of pre-session vs. within-session choice, 32, 161; effects of delayed and intermittent, 32, 211; of compliance with respiratory treatment, 32, 233; positive versus negative and escape behavior, 32, 285; sensory reinforcement maintaining hair pulling, 32, 329; and “intrinsic” motivation, 32, 375; direct versus indirect contingencies of, 33, 1; of adaptive and maladaptive behavior, 33, 463; negative, and establishing operations, 33, 479; conditioned, role in preference for unreliable reinforcement, 33, 533; effects on sensitivity to, 33, 573; effects on verbal behavior in dementia, 33, 631; treatment for

- escape-maintained aggression, 34, 69; in natural environments, 34, 241; behavior change and maintenance without extinction, 35, 155; magnitude and quality of, 35, 171; negative and food selectivity, 35, 259; of self-injury during a tangible condition, 35, 283; negative, to reduce problem behavior, 35, 291; negative and food refusal, 35, 363, 36, 309; probability of, 35, 403; positive and negative in acquisition of cup drinking, 36, 89; escape from eating as negative, 36, 105; and inappropriate mealtime behavior, 36, 187; experimental demonstration, 36, 221; interaction with drug treatment, 36, 245; specific consequences for question asking, 36, 285; positive and food refusal, 36, 309; aversive stimuli in classroom demand contexts, 36, 339; changes in effectiveness of, 36, 421; intervention selection model for classrooms, 36, 563; adventitious, of a child's oppositional behavior, 37, 43; accuracy-based vs. time-based contingencies, 37, 53; of vocal verbal behavior, 37, 129; adventitious, and the matching law, 37, 249
- reinforcement*, see also automatic reinforcement, conditioned reinforcement, differential reinforcement, intermittent reinforcement, noncontingent reinforcement, punishment, social reinforcement
- reinforcement delay*, and attention deficit hyperactivity disorder, 33, 233, 34, 397; applied relevance of basic research, 33, 359; tolerance for in mental retardation, 33, 611, 36, 263; basic research and socially important behavior, 34, 101; and self-control in autism, 34, 491; altering preference for, 37, 101; effects on infant sign language acquisition, 37, 379
- reinforcement magnitude*, and noncontingent reinforcement, 31, 313, 32, 529, 36, 525; effects on spontaneous recovery, 32, 197; during treatment with differential reinforcement, 35, 29
- reinforcement schedules*, concurrent, 31, 43; effects under single and concurrent, 32, 479; progressive-ratio probe, 33, 73; thinning during functional communication training, 34, 17; and U.S. Congress, 36, 465; problems associated with thinning, 37, 323; sensitivity to contingencies on multiple schedules, 37, 517
- reinforcement schedules*, see also lag schedules
- reinforcer(s)*, assessment of with developmental disabilities, 31, 605, 34, 463; duration and approach by severely handicapped, 32, 111; identification of in cigarette pica, 32, 297; assessment of tokens, 32, 375; preference as a function of assessment method, 32, 479; differential effects of quality on destructive behavior, 33, 79; complementary, and problem behavior, 33, 207; accuracy of surveys, 33, 335; choice in single-operant and concurrent-schedule procedures, 33, 347; assessment of in naturalistic context, 33, 353; computer-based assessment, 34, 57; assessment under progressive schedule requirements, 34, 145; identification and stability across time, 34, 179; single stimulus engagement preference assessment, 34, 475; assessment of maladaptive behavior, 35, 299; food as, 35, 411
- relational frame theory*, application to anxiety, 31, 137; substitutability and self-injury, 33, 29; and acceptance and commitment therapy (book review), 35, 323
- reliability*, criteria in SURF & C, 31, 263
- research*, and theory, 31, 503; methods in human operant behavior, 33, 119; contextualism in (book review), 34, 379; methods and training (book review), 37, 243
- respondent relations*, neglect in behavior analysis, 31, 503
- response acquisition*, under direct and indirect reinforcement contingencies, 33, 1
- response allocation*, choice and aberrant behavior, 32, 371; basic research on delayed reinforcement, 33, 359; effects of magnitude and quality of reinforcement, 35, 171; to math worksheets on concurrent schedules, 37, 53; treatment of escape-reinforced aggression, 37, 239
- response bias*, assessment of, 33, 73
- response blocking*, extinction versus punishment effects, 32, 367; with and without redirection, 34, 527; collateral effects of, 36, 119
- response cards*, use of with learning disabilities, 37, 219; use with college students, 37, 405
- response chaining*, and automatic reinforcement, 31, 513
- response class*, generalization of a replacement mand, 31, 357; hierarchies and functional analysis, 32, 269; strategies for identifying hierarchies, 33, 313; assessment of hierarchies, 34, 61
- response cost*, to treat sleep problems, 31, 127; treatment of habits, 32, 353; treatment of escape behavior, 33, 255; treatment of food refusal, 34, 93; treatment of automatically maintained behavior, 37, 83; to treat disruptive behavior, 37, 411
- response covariation*, behavior allocation, 35, 65; between bizarre and nonbizarre speech, 36, 101
- response efficiency*, analyzing changes in, 34, 487
- response effort*, and response allocation, 31, 43; as treatment for hand mouthing, 31, 375; analysis of under different restraint conditions, 32, 525; as treatment for self-injury, 33, 29; in the treatment of pica, 35, 233
- response marking*, and conditioned reinforcement, 35, 187
- response practice*, effect of frequency, 31, 417
- response prevention hypothesis*, and treatment with dense reinforcement schedules, 37, 323
- response-reinforcer relations*, 33, 1
- response-response relations*, aberrant response as reinforcement, 31, 339; stereotypy as reinforcement, 31, 513
- response restriction*, and alternative behavior, 33, 285; for determining preferences, 36, 47; to treat stereotypy, 37, 481
- response variability*, in extinction, 34, 85; promoting in martial arts, 37, 185
- restraint*, in treatment for hand mouthing, 31, 375; effects on self-injury and adaptive behavior, 32, 525; detrimental effects of physical, 34, 501
- reviews*, prompting of timely journal reviews, 37, 523
- risk taking*, by gamblers, 36, 449
- risperidone*, rate-decreasing effects mediated by reinforcement, 36, 245
- rule-governed behavior*, instructional influence on functional analysis, 37, 509; in typical children, 37, 517

## -S-

- safety*, behavior-based, 32, 241; automobile, 33, 635; at stop signs, 34, 185; skills to prevent gun play, 37, 1,

- 513; skills for teenagers with autism, 37, 79; effects of observation on, 37, 457; of children in shopping carts, 37, 527
- safety*, see also pedestrian safety
- safety belts*, practical interventions to increase use, 31, 655, 36, 249; increased use by elderly, 33, 635; use with children in shopping carts, 37, 527
- satiation*, and magnitude of reinforcement, 31, 313; during response acquisition, 33, 195; versus extinction effects under NCR, 33, 419; during NCR, 33, 433, 36, 525; to stimuli that compete with self-injury, 33, 623; to food as reinforcement, 35, 411; reconceptualization of, 36, 421
- scatter plot*, analysis of behavior disorders, 31, 593
- schedule density*, and fixed-time schedules, 34, 337
- schizophrenia*, and bizarre vocalizations, 34, 65
- school-based intervention*, treatment of self-injury, 31, 679; to improve bus-riding behavior, 36, 583
- script fading*, effects on autistic children's interactions, 31, 191; teaching social interactions, 34, 81
- self-catheterization*, compliance with procedures, 32, 217
- self-control*, increasing appropriate behavior, 31, 203; during athletic performance, 31, 489; assessment of, 32, 451; and attention deficit hyperactivity disorder, 33, 233, 34, 397; applied relevance of basic research, 33, 359; selection of more optimal reinforcers, 33, 611; basic research on temporal discounting, 34, 101; and autism, 34, 491; enhancing, 36, 263; developing preference for delayed outcomes, 36, 371; effects of reinforcer delay, 37, 101
- self-determination*, and severe multiple disabilities, 34, 341
- self-evaluation*, of medication effects on behavior, 33, 593
- self-feeding*, and developmental disabilities, 32, 225
- self-injurious behavior*, treatment with wrist weights, 31, 307; response effort as treatment for, 31, 375, 33, 29; functional analysis of, 31, 475, 669, 32, 149, 175, 33, 207, 451; treatment of, 31, 479, 493; assessment of, 31, 647; warning stimuli as treatment supplement, 31, 679; extinction of, 32, 1, 99; functional analysis and treatment of, 32, 51, 123, 247, 33, 223, 34, 17; and correlated negative affect, 32, 103; false-positive functional analysis and incidental reinforcement of, 32, 201; punishment of, 32, 317; effects of restraint on and performance of adaptive behavior, 32, 525; of persons with severe mental retardation, 33, 109; noncontingent and contingent reinforcement, 33, 195; and discrimination during multielement functional analyses, 33, 299; and functional communication training, 33, 321; satiation versus extinction effects, 33, 419; treatment with noncontingent arbitrary reinforcement, 33, 623; descriptive analysis of consequences following, 34, 169; during transitions, 34, 195; in typically developing adults, 34, 217; and the matching law, 35, 13; role of protective equipment, 35, 69, 37, 73; treatment of rapid eating, 35, 89; functional analysis of precursor behaviors, 35, 125; influence of therapist attention on, 35, 283; treatment of in young children, 36, 205; sequential and matching analysis of, 36, 267
- self-instruction*, and gross-motor skill training, 37, 305
- self-management*, by young children with disabilities, 36, 133; training skills with activity schedules, 37, 115
- self-monitoring*, and recording frequency, 32, 389; validated with physical trace measures, 34, 217
- self-reports*, of adherence, 31, 485
- self-restraint*, as reinforcement, 31, 647
- sensory extinction*, as treatment for self-injury, 31, 635; and protective equipment, 32, 99; response blocking as, 32, 367; in treatment of finger sucking, 33, 41; in treatment of hair twirling, 34, 535
- sequential analysis*, of self-injury, 36, 267
- severe behavior disorders*, functional analysis of, 33, 247; identification of contingencies, 34, 269
- severe disabilities*, preference assessment in supported work, 31, 281; embedded assessment of preferences identified in person-centered plans, 33, 639; embedded teaching by support staff, 34, 313; self-determination in supported work, 34, 341; increasing choices through staff management, 36, 575; improving day-treatment services, 37, 365
- sexual abuse*, prevention skills for mentally retarded adults, 31, 91, 32, 385
- sexual behavior*, treatment of inappropriate, 37, 401
- shaping*, of compliance with respiratory treatment, 32, 233; and Carl Jung, 32, 533; trailer loading of horses, 34, 409; of vocal verbal behavior, 37, 129
- side effects*, of extinction, 32, 1, 197; of punishment, 35, 431; of response blocking, 36, 119
- sight reading*, see reading
- sign language*, acquisition by infants, 37, 379
- signs*, to reduce bathroom graffiti, 33, 89; increasing compliance at stop signs, 34, 185
- simplified habit reversal*, to treat trichotillomania, 31, 299; during athletic performance, 31, 489; to treat hair pulling, 31, 665
- simulation training*, compliance with medical procedures, 32, 217
- single operant*, arrangements for choice, 33, 93
- single-subject design*, 31, 245
- skills training*, effect of form training on basketball performance, 34, 329
- skin picking*, and habit reversal, 34, 217
- sleep*, pediatric problems, 31, 127; problems in developmental disabilities, 37, 209
- smoking cessation*, and mental retardation, 35, 415
- soccer*, effects of public posting, goal setting, and oral feedback, 35, 247
- social activism*, newsletters as prompts, 37, 427
- social antecedents*, of children's eyewitness testimony, 36, 459
- social initiations*, use of a tactile prompt, 31, 651
- social interaction*, of autistic preschoolers with adults, 31, 191; increasing rate of, 32, 115; of adolescents in residential care, 33, 239; using video modeling to promote, 37, 93
- social reinforcement*, basic and applied implications, 34, 241
- social skills*, training in preschools, 31, 117; social validation of, 31, 431; training to increase interaction, 32,

- 115; teaching autistic children to ask questions, 33, 627; increasing social initiations in children with autism, 35, 79
- social validation*, of conversational social skills, 31, 431; influence of Mont Wolf, 37, 555
- society*, impact of technological behavior analysis, 31, 311; and theories of disability, 31, 509
- software*, for single-subject designs, 31, 245; designing for data collection, 36, 271
- special education*, recruiting teacher praise, 31, 399
- speech*, assessment and treatment of bizarre, 36, 101, 37, 395
- speed skating*, performance enhancement, 35, 195
- spelling*, writing lists of picture names, 31, 1; constant delayed-prompt procedure to teach, 37, 469
- staff supervisors*, maintenance of performance, 35, 205
- staff training*, in community-based group homes, 32, 221; to implement functional analysis methodology, 33, 181; embedded teaching, 34, 313; in a dementia care unit, 36, 129; to provide choices, 36, 575; outcome management approach, 37, 365; discrete-trial teaching, 37, 535
- statistical analysis*, compared with visual inspection, 36, 387
- stereotypy*, as reinforcement for other aberrant behavior, 31, 513; self-injury as, 32, 51; and alternative behavior, 33, 285; multiple functions in autism, 33, 559; functional analysis of ear covering, 35, 95; treatment with response blocking, 36, 119; persistence of, 36, 439; analysis of response allocation, 37, 481
- stimulus chains*, basic research on delayed reinforcement, 33, 359
- stimulus control*, in the use of written lists as mediating stimuli, 31, 1; concept acquisition, 31, 21; assessment in persons with autism, 31, 237; and functional communication training, 31, 543; of recycling, 31, 683; of in-home problem behavior, 32, 495; over task-relevant and task-irrelevant behavior, 33, 1; different therapists during functional analysis, 33, 247; over food stealing, 33, 615; book review, 33, 643; noncompliance and task completion, 34, 289; of diapers and accidents, 37, 97
- stimulus engagement*, validity of single assessment, 34, 475; over verbal behavior, 37, 517
- stimulus equivalence*, language arts instruction, 31, 21; application to anxiety, 31, 137; networks of behavioral relations in reading, 33, 97; and recombinative generalization in reading, 33, 515, 36, 95; delayed constructed-response matching to sample, 37, 223
- stimulus fading*, of food textures, 31, 621
- stimulus generalization gradients*, assessment of, 31, 479
- stimulus overselectivity*, in mental retardation, 32, 25
- stimulus preference assessment*, see preferences
- stimulus variation*, treatment of self-injury, 33, 623
- story problems*, precurent behaviors in solving, 36, 21
- substitute reinforcement*, and functional communication training, 31, 543
- sufficient response exemplar training*, treatment of phonological disorder, 36, 325
- supported employment*, for persons with severe multiple disabilities, 31, 281; for adults with autism, 35, 85
- swimming*, recording frequency and self-monitoring, 32, 389
- symmetrical “do” and “don’t” requests*, and treatment of aggression, 32, 519

## -T-

- tacts*, acquisition of, 35, 419
- tangible condition*, influence of therapist attention on self-injury during, 35, 283
- tardive dyskinesia*, analogue functional analysis of, 37, 391
- target training*, with horses, 34, 409
- task difficulty*, treatment at different reading levels, 31, 659; aversive stimuli in classroom demand contexts, 36, 339
- teachers*, acquisition of functional analysis methodology, 35, 73, 37, 89; teacher-directed vs. student-directed instruction, 36, 133
- teaching*, effective tools for, 31, 673; educational technology, 32, 205; behavior analysis textbooks, 32, 535; use of response cards in college, 37, 405; dictated-word/symbol relations, 37, 503
- Teaching-Family Model*, influence of Mont Wolf, 37, 555
- technology*, to increase compliance at stop signs, 34, 185; pagers to teach safety skills, 37, 79
- temporal discounting*, basic research and socially important behavior, 34, 101
- terminology*, behavior-analytic, 36, 407; revising behavior-analytic, 36, 421
- textbooks*, for introductory behavior analysis, 32, 535, 34, 551
- textual prompts*, self-assessment of blood glucose level, 33, 251
- theory*, broadening to be more comprehensive, 31, 503
- therapeutic recreation*, with special populations, 31, 163
- therapists*, different adults during functional analysis, 33, 247
- thumb sucking*, transitional objects as establishing operation, 33, 507; treatment with awareness enhancement device, 34, 77
- tics*, influence of tic-related talk, 34, 353
- tics*, see also vocal tic
- time-based schedules*, as treatment, 32, 239
- toilet training*, effects of diaper use, 37, 97
- token economy*, and “intrinsic” motivation for doing math, 32, 375
- Tourette’s syndrome*, tics in, 34, 353, 36, 109, 37, 417
- trailer loading*, of horses, 34, 409
- transitional objects*, as establishing operations for thumb sucking, 33, 507
- transitions*, student compliance during, 32, 339; assessment and treatment of self-injury during, 34, 195
- translational research*, introduction, 36, 415; and pediatric feeding disorders, 36, 545; and object mouthing, 36, 579; treatment of escape-reinforced aggression, 37, 239
- transportation safety*, at stop signs, 34, 185
- treatment*, challenges and manipulation of integrity, 32, 9; of child behavior disorders, 32, 245; of problem behavior, 32, 393; integrity of, 33, 167, 35, 337; adherence

parameters, 33, 373; of disruptive behavior, 35, 137; multicomponent interventions, 35, 195; improving oral reading fluency, 35, 271; of severe behavior disorders with punishment, 35, 431; managing child behavior problems, 36, 141; integrity of, 36, 545; assessing acceptability of, 36, 563  
*trichotillomania*, treatment of, 31, 299; functional analysis of, 32, 329

## -U-

*United States Congress*, procrastination by, 36, 465  
*university courses*, computer accessible, 32, 205

## -V-

*variability*, reinforcement of in autism, 33, 151, 35, 391  
*variable-time schedules*, as treatment for severe behavior disorders, 33, 545; reductive effects of noncontingent reinforcement, 34, 505  
*vehicle*, instrumented to measure driving behavior, 34, 39  
*verbal behavior*, of heroin addicts, 31, 291; mands, 33, 627; remediation in severe dementia, 33, 631; functional analysis of inappropriate, 34, 361; verbally controlled behavior, 35, 375; increasing variability, 35, 391; acquisition of tacts, 35, 419; echoic influence over bizarre speech, 36, 101; perseverations of an adult with autism, 36, 259; manding for verbal stimuli, 36, 285; children's eyewitness testimony, 36, 459  
*verbal behavior*, see also mands

*verbal imitation training*, improving articulation, 36, 325  
*verbalization*, teaching children with autism, 31, 651  
*video modeling*, teaching children with autism, 36, 253, 37, 93; to increase compliance with dental procedures, 37, 233  
*videotape feedback*, and social communication in autism, 34, 425  
*visual inference*, Type I errors, 36, 387  
*visual inspection*, structured criteria for AB designs, 36, 387  
*vocal tic*, treatment of, 31, 471, 36, 109  
*vocalizations*, functional analysis of bizarre, 34, 65; treatment of inappropriate, 37, 83  
*vocational tasks*, duration-based measures of preference, 35, 287  
*voice output communication aid*, with autistic children, 31, 561

## -W-

*wandering*, treatment of in geriatric patients, 32, 381, 37, 107  
*weight loss*, through increased physical activity, 37, 421  
*weights*, to treat self-injury, 31, 307  
*Williams syndrome*, and hyperacusis, 33, 511  
*Wolf, Montrose M.*, in memory of, 37, 555  
*Wright, Mary Louise*, retirement of, 36, 137  
*writing*, response cards in instruction, 37, 219; and spelling under stimulus control of spoken words, 37, 223