

-A-

- abduction prevention*, behavioral skills training, 38, 67, 39, 25
- aberrant behavior*, see problem behavior
- abolishing operations*, terminology, 36, 407; and matched stimulation, 40, 73
- abstinence*, reinforcement of cigarette smoking, 40, 1
- academic behavior*, multiplication facts, 31, 303; effects of peer tutoring, 31, 417; intervention in, 31, 579; oral reading, 31, 659; computer-aided instruction with university students, 32, 205; engagement in, 32, 229; effects of behavioral momentum, 33, 259; effects of establishing operations, 33, 479; effects of methylphenidate, 33, 593; effects of peer tutoring on, 35, 309, 40, 223; allocation of responding to math worksheets, 37, 53; use of response cards, 37, 405; oral reading fluency, 38, 485, 39, 323, 40, 203; written language skills, 40, 345; effects of reinforcement on, 40, 475; enhancing stimulus generalization of, 40, 553
- academic behavior*, see also classroom behavior, reading, spelling, writing
- acceptance and commitment therapy*, book review, 35, 323; as treatment of marijuana dependence, 40, 619
- acquisition*, of cup drinking, 36, 89; of gross-motor chains, 37, 305
- activity*, by older adults with dementia, 32, 107; independent use of materials, 33, 325; self-injury during transitions, 34, 195
- activity schedules*, creation of using Microsoft® PowerPoint®, 37, 115
- adaptive behavior*, effects of fixed-time schedule on, 34, 333; application of the matching law, 35, 13
- addiction*, see drug abuse, gambling
- adherence*, accuracy of self-reports, 31, 485; to parenting recommendations, 33, 373
- adolescents*, treatment of chronic hair pulling, 31, 299; critical social skills of, 31, 431; reinforcing variability in autism, 33, 151; improving social interactions, 33, 239; with emotional-behavioral disorders, 38, 399; smoking behavior of, 38, 463; improving academic skills, 40, 345
- aerophagia*, treatment with contingent physical guidance, 34, 89
- aggression*, functional analysis of, 31, 103, 33, 511, 34, 225, 237, 40, 333; maintained by termination of requests, 31, 339; during treatment with extinction, 32, 1; symmetrical “do” and “don’t” requests, 32, 519; of persons with severe mental retardation, 33, 109; and functional communication training, 33, 321; satiation versus extinction effects, 33, 419; and developmental disabilities, 34, 73; antecedent control of, 34, 85; descriptive analysis of consequences following, 34, 169; detrimental effects of physical restraint, 34, 501; extinction-induced, 34, 527; application of the matching law, 35, 13; and treatment to reduce rapid eating, 35, 89; evaluation of contingency strength and response suppression, 35, 337; treatment of escape-reinforced, 37, 239; associated with dementia in the elderly, 39, 469
- aging*, problem behavior in, 37, 107, 39, 469
- aluminum can recycling*, increasing, 31, 683
- animal homologue*, of correspondence, 34, 127
- antecedent control*, of classroom behavior, 31, 65; of autistic children’s social interaction, 31, 191; of problem behavior, 33, 207; of a medical self-assessment procedure, 33, 251; and establishing operations, 33, 401; book review, 33, 643; teaching social interactions, 34, 81; of aggression, 34, 85; during functional analysis of aggression, 34, 237; of destructive and aggressive behavior, 36, 297; in the treatment of feeding problems, 37, 159; of employee behavior, 38, 117; in the treatment of noncompliance, 39, 495; of on-task behavior, 40, 317
- antecedent experimental analyses*, and noncompliance, 34, 289; altering classroom instruction to treat destructive behavior, 36, 355; and food selectivity, 36, 361
- anxiety disorders*, behavior-analytic study, 31, 137; and behavioral assessment, 32, 95; and Carl Jung, 32, 533; treatment of needle phobia, 39, 449
- applied behavior analysis*, impact on society, 31, 311; textbook review, 31, 501, 34, 551; and Carl Jung, 32, 533; and contextualism (book review), 34, 379; gene-brain-behavior relations, 34, 539; citation analysis, 35, 423, 36, 113; influence of Mont Wolf, 38, 279
- applied research*, integrating basic and, 33, 119, 359, 36, 421; relevance of adherence to recommendations, 33, 373; influence of Bertrand Russell, 40, 587
- applied research*, see also translational research
- appropriate behavior*, choice and escape, 33, 243
- arbitrarily applicable derived relational responding*, 40, 45
- assessment*, in situ of sexual abuse prevention skills, 31, 91; criteria and standards for, 31, 263; identifying idiosyncratic behavioral functions, 31, 339, 34, 229; of tics, 31, 471; via scatter plot analysis, 31, 593; of treatments for oral reading, 31, 659; of insect phobia, 32, 95; using real-time recording, 32, 119; of indices of unhappiness, 32, 137; of functional analysis methodology, 32, 149; of child behavior disorders, 32, 245; role play and in situ, 32, 385; of problem behavior, 32, 393, 34, 255, 40, 333; of preferences identified in person-centered planning, 32, 467, 33, 639; of reinforcer preferences, 32, 479; of stimulus parameters in home, 32, 495; displacement of leisure items by food during, 32, 515; multiple problem behaviors and extinction, 33, 313; accuracy of reinforcer surveys, 33, 335; of reinforcer dimensions affecting choice, 34, 57; of response class hierarchies, 34, 61; of naturalistic consequences for problem behavior, 34, 169; of basic learning abilities (ABLA test), 35, 49; of job preferences in workers with autism, 35, 85; of texture in feeding problems, 35, 183; of functional analysis methodology, 36, 147; descriptive, 36, 187; of medication and behavioral treatment on disruptive behavior, 36, 375; of skills in children with autism, 37, 11; of variables that control manding, 37, 129; antecedent assessment of reading, 37, 339; of

- impulsivity in children, 38, 23; competing stimulus, 38, 177; descriptive, of teachers' instructional practices, 39, 79; computerized test of self-control, 39, 147; of self-control, 39, 227; antecedent, of problem behavior, 39, 239; conducting with telemedicine, 39, 333; direct observation of tics, 39, 429; vocal preference assessments and access to stimuli, 39, 501; of noncompliance, 40, 173; concurrent operants, 40, 327; functional analysis vs. paired-choice assessment, 40, 545; role of context in identifying reinforcer preferences, 40, 767
- assistance*, teaching to seek when lost, 37, 79
- assistive technology*, voice output communication aid, 31, 561; to reduce problem behavior, 32, 247
- athletic performance*, and simplified habit reversal, 31, 489; and the matching law, 33, 137; effects of form training, 34, 329; reinforcing component skills, 35, 195; effects of goal setting, public posting, and oral feedback, 35, 247; and the generalized matching law, 39, 281; intervention to improve coaching, 39, 385
- attention*, as establishing operation and reinforcement, 32, 437; destructive behavior maintained by, 33, 79; as a function of problem behavior, 33, 463; as reinforcement for bizarre speech, 36, 101; aversive stimuli and teacher attention, 36, 339; in classroom settings, 38, 429; types that maintain problem behavior, 40, 167; as antecedent control, 40, 317
- attention deficit hyperactivity disorder*, assessment of, 31, 65; and academic achievement, 31, 579; behavioral and drug treatment, 32, 35, 36, 375; teaching self-control, 33, 233; and reinforcer surveys, 33, 335; peer attention, 33, 343; methylphenidate and environment interactions, 33, 573; effects of methylphenidate on classroom behavior, 33, 593; and temporal discounting, 34, 101; developing fluency and endurance, 34, 345; impulsivity and development of self-control, 34, 397; assessment and treatment of, 35, 199; effects of strategic versus tactical instructions, 35, 375; treatment of elopement, 37, 229; sensitivity to instructions and changing contingencies, 37, 267; instructional influences on functional analysis, 37, 509; assessment of impulsivity in children, 38, 23; effects of methylphenidate on impulsivity, 38, 135; computerized test of self-control, 39, 147
- auditory stimulation*, as establishing operation, 39, 141
- augmentative and alternative communication*, improvised requests with PECS, 39, 109
- authorship*, international publication trends in *JABA*, 33, 339
- autism*, social skills training, 31, 117, 40, 123; parent training, 31, 131; social interactions, 31, 191, 34, 229, 40, 353; training discrimination skills, 31, 237, 40, 707; voice output communication aid, 31, 561; teaching social initiations, 31, 651; use of advanced stimulus prompts, 31, 679; reinforcing variability, 33, 151; reinforcer identification, 33, 353; functions of stereotypy in, 33, 559; generalizing and maintaining question asking, 33, 627; teaching social interactions, 34, 81, 37, 93; teaching social communication, 34, 425; self-control in, 34, 491; teaching social initiations, 35, 79; supported work for adults with, 35, 85; functional analysis of ear covering, 35, 95; magnitude and quality of reinforcement, 35, 171; discrete-trial training with children, 35, 187; paired-stimuli preference assessment, 35, 209; language interventions, 35, 213; teaching perspective-taking skills, 36, 253; treatment of verbal perseverations, 36, 259; generalization and maintenance of question asking, 36, 285; autism spectrum disorders, 36, 439; training conditional discrimination skills in children, 36, 507, 40, 489; skills assessment in children, 37, 11; teaching safety skills, 37, 79; treatment of inappropriate vocalizations, 37, 83; teaching leisure skills, 37, 115; teaching dictated-word/symbol relations, 37, 503; discrete-trial training, 37, 535; treatment of children's stereotypy, 38, 121, 40, 339; functional analysis of problem behavior, 38, 147; assessment and treatment of stereotypy, 38, 247; treatment of vocal noncompliance, 38, 251; communication assessment, 38, 303; language training procedures, 38, 445; teaching color discrimination, 38, 555; job-skills training, 39, 91; teaching improvisation with PECS, 39, 109; self-control in, 39, 227; teaching social skills, 39, 233; assessment of problem behavior, 39, 239; intervention for specific phobia, 39, 445; treatment of needle phobia, 39, 449; treatment of vocal stereotypy, 40, 263; written language skills, 40, 345; treatment of slow responding, 40, 559; teaching spontaneous communication, 40, 565; functions of vocal behavior, 40, 571; stimulus control during mand training, 40, 645; parent implementation of discrete-trial teaching, 40, 685; emergence of intraverbal antonyms, 40, 697; effects of pre-session attention in functional analyses, 40, 731; generalized imitation of facial models, 40, 755
- automated data collection*, and seat belt use, 38, 195
- automatic reinforcement*, and aggression, 31, 103; of pica, 31, 165, 35, 233; of self-injury, 31, 307, 33, 29; and response chains, 31, 513; assessment and treatment of behavior maintained by, 31, 635, 36, 1, 37, 83; self-injury maintained by, 32, 51; treatment of behavior maintained by, 32, 99, 33, 623, 38, 121; effects of matched stimuli, 33, 13; assessing reinforcers, 34, 145; treatment of hair twirling, 34, 535; behavior maintained by sensory reinforcement, 36, 439; effects of fixed-time reinforcement, 36, 541; and noncontingent access to food, 36, 579; protective equipment and self-injury, 37, 73; treatment of stereotypy, 38, 247; response blocking with and without redirection, 38, 391; leisure items as controls in functional analyses, 38, 417; treatment of, 39, 35; identifying matched stimulation, 39, 137, 40, 73; treatment of vocal stereotypy, 40, 263; unit price and DRO schedule thinning, 40, 529; treatment of postmeal rumination, 40, 743
- automobile crashes*, evasive action, 38, 289
- avoidance*, relationship to anxiety, 31, 137; and compliance with respiratory treatment, 32, 233
- awareness enhancement device*, to treat hair pulling, 31, 665; to treat finger sucking, 33, 41; to treat thumb sucking, 34, 77

-B-

- backward chaining*, to teach Internet skills, 40, 185
- Baer, Donald M.*, remembrances of, 35, 313, 315, 319
- basic research*, integrating applied and, 33, 119, 359; relevance to application, 34, 241
- basket-hold time-out*, detrimental effects of, 34, 501
- basketball*, and the matching law, 33, 137, 40, 311; effects of form training on performance, 34, 329; behavioral momentum in, 37, 385
- behavior*, see also academic behavior, adaptive behavior, appropriate behavior, disruptive behavior, escape behavior, oppositional behavior, problem behavior, rule-governed behavior, self-injurious behavior, sexual behavior, verbal behavior
- behavior analysis*, epistemology, 31, 709; and problem behavior (book review), 34, 255; application to athletic performance, 35, 195; and acceptance and commitment therapy (book review), 35, 323; and biology (book review), 37, 539
- behavior analysis*, see also clinical behavior analysis
- behavior disorders*, and insect phobia, 32, 95; identification of environmental determinants, 35, 125; treatment with punishment, 35, 431, 465, 469, 475
- behavior modification*, textbook review, 31, 159, 32, 535, 34, 551
- behavior support plans*, effects of feedback on implementation, 38, 205, 40, 447
- behavior therapy*, contemporary issues in, 31, 311; and acceptance and commitment therapy (book review), 35, 323; effectiveness of exposure and response prevention, 39, 441; and functional analytic psychotherapy, 39, 463; acceptance and commitment therapy for marijuana dependence, 40, 619
- behavioral assessment*, see assessment
- behavioral consultation*, implementation in general education, 33, 271; systems intervention, 36, 583
- behavioral contrast*, and discovery research, 36, 35; in a child's oppositional behavior, 37, 43
- behavioral cusp*, selecting target behaviors, 34, 123; intraverbal training, 40, 411
- behavioral economics*, assessment of reinforcers, 34, 145; and treatment of destructive behavior, 34, 211; choice between positive and negative reinforcement, 34, 521; adaptive responding under open and closed economies, 38, 335; choice between positive and negative reinforcement, 40, 25; unit price evaluation of severe problem behavior, 40, 463; unit price and DRO schedule thinning, 40, 529
- behavioral history*, and functional analysis, 34, 69
- behavioral medicine*, treatment of chronic skin picking, 34, 217; treatment of paradoxical vocal fold motion, 38, 529; treatment of needle phobia, 39, 449
- behavioral momentum*, applications of, 31, 117; application to behavioral pediatrics, 31, 287; and student compliance during transitions, 32, 339; and resistance to change, 36, 439; in sports, 37, 385
- behavioral pediatrics*, compliance with medical procedures, 31, 287, 32, 217, 233; control of excessive blood glucose monitoring, 34, 497; functional magnetic resonance imaging, 35, 191; empirically supported treatments (book review), 36, 141; diaper use and toilet training, 37, 97; feeding problems, 37, 159; bio-feedback for respiratory distress, 38, 529
- behavioral pharmacology*, of cocaine abuse, 33, 393; ADHD and methylphenidate, 36, 375, 38, 135; and stimulant medication, 39, 243
- behavioral psychology*, philosophy of science, 31, 709
- behavioral skills training*, of sexual abuse prevention skills, 31, 91, 32, 385; to prevent gun play, 37, 1, 513, 38, 395, 40, 691; discrete-trial teaching, 37, 535; to teach abduction-prevention skills, 38, 67, 39, 25; parent implementation of, 40, 685
- behavioral systems analysis*, as applied to schooling, 31, 695
- behavioral treatment*, of mental disorders, 31, 157
- behaviorism*, history of, 33, 263, 40, 587; historical precedents, 39, 405
- bicycles*, helmet use and safety, 40, 239
- bill enactment*, and procrastination by U.S. Congress, 36, 465
- biofeedback*, see feedback
- biological factors*, effects on pica, 33, 619
- biology*, and behavior analysis (book review), 37, 539
- brain injured*, self-assessment of blood glucose level, 33, 251; child compliance with brain-injured parent, 34, 221; self-control, 36, 371, 37, 101; and inappropriate sexual behavior, 37, 401
- breath holding*, functional analysis and treatment of, 34, 531
- bridge study*, example of, 38, 111
- brief experimental analysis*, applying instructional components to oral reading, 32, 83; to improve oral reading fluency, 35, 271; in outpatient clinics, 37, 145; to improve oral reading fluency, 38, 129; assessment of discriminative stimuli and motivating operations, 40, 321
- bus-riding behavior*, whole-school intervention, 36, 583

-C-

- carbon monoxide*, measure of cigarette smoking, 35, 415
- cell phones*, prompting to decrease use while driving, 39, 341
- chain*, responding in a two-response chain, 39, 263
- changing criterion design*, exposure-based treatment, 34, 497; evaluation of shaping exhalations, 35, 415; increasing food acceptance, 36, 349
- children*, with severe food refusal, 31, 621; teaching math to, 31, 673; reduction of disruptive behavior, 31, 687; problem behavior and academic behavior, 32, 229; assessment and treatment of behavior disorders, 32, 245; self-monitoring of swimming, 32, 389; antecedent analyses of problem behavior, 32, 495; treatment of finger sucking, 33, 41; recombinative generalization and equivalence relations in reading, 33, 515; treatment of thumb sucking, 34, 77; prevention of playground injuries, 34, 349; treatment of food refusal, 35, 65; functional analysis and treatment of problem behavior, 35, 349; managing common problems (book review), 36, 141; training play and developmental disabilities,

- 36, 367; treatment of problem behavior, 36, 379; eyewitness testimony of, 36, 459; without disabilities, and delayed matching and naming, 36, 487; teaching safety skills, 37, 1, 513, 38, 395; and computer-based instruction, 37, 67; and pretend toy play, 37, 197; delayed constructed response matching to sample, 37, 223; infant sign language acquisition, 37, 379; safety in shopping carts, 37, 527; teaching abduction-prevention skills, 38, 67, 39, 25; compliance by toddlers, 38, 235; with language deficits, 38, 445; biofeedback to treat respiratory distress, 38, 529; reduction of disruption during dental visits, 39, 161; toilet training of toddlers, 39, 363; treatment of disruptive bedtime behavior, 39, 423; effects of fixed-time schedules on children with emotional and behavioral disorders, 39, 453; repositioning of infants by caregivers, 39, 489; sign language with infants, 40, 15; preference assessment with toddlers, 40, 157; with history of abuse and neglect, 40, 223; treatment integrity of school-based studies, 40, 659
- children* see also preschool children
- Chinese*, teaching pronunciation, 40, 583
- choice*, and problem behavior, 31, 203; effects of positive and negative reinforcement on, 32, 63; comparing single- and concurrent-operant measures, 32, 161; effects of consequences on, 32, 419; of stimuli as reinforcement, 33, 93; identification of reinforcers, 33, 105; and attention deficit hyperactivity disorder, 33, 233; effects on problem and adaptive behavior, 33, 243; in singleoperant and concurrent-schedule procedures, 33, 347; selection of smaller or larger reinforcers, 33, 611; reinforcer dimensions affecting, 34, 57; and treatment of destructive behavior, 34, 211; self-determination in supported work, 34, 341; and self-control in autism, 34, 491; between positive and negative reinforcement, 34, 521; and magnitude and quality of reinforcement, 35, 171; and acceptance and commitment therapy (book review), 35, 323; as treatment for problem behavior, 35, 349; among reinforcer alternatives, 36, 263, 37, 101; signaled delayed reinforcement, 36, 371; between immediate and delayed outcomes, 36, 449; increasing staff provision of, 36, 575; and sleep problems, 37, 209; increasing novel selections, 38, 111; and satiation, 38, 317; increasing reinforcer value, 39, 1; effects of stimulant medication, 39, 243; among slot machines by gamblers, 39, 351; for delayed reinforcers, 39, 413; between positive and negative reinforcement, 40, 25; preschoolers' preferences for motivational systems, 40, 249; shot allocation in professional basketball, 40, 311; effects of postsession reinforcement on, 40, 515; matching law and social dynamics, 40, 589; preschoolers' snack items, 40, 633
- choice*, see also preferences, response allocation
- cigarette smoking*, see smoking
- citation analysis*, and applied behavior analysis, 35, 423, 36, 113; self- and cross-citations in *JABA* and *JEAB*, 38, 559
- classroom behavior*, improving task engagement, 31, 65; improving, 36, 297; analysis of aversive stimuli, 36, 339; intervention selection model, 36, 563; matching analysis of, 38, 429; management of, 39, 215; functional analysis vs. paired-choice assessment, 40, 545
- client rights*, and modification of activity preferences, 32, 419
- clinical behavior analysis*, introduction to special section, 39, 407; acceptance and commitment therapy for marijuana dependence, 40, 619
- clinical research*, and behavior analysis, 32, 95
- coaching*, effects of form training on basketball performance, 34, 329
- cocaine abuse*, behavior, pharmacology, and clinical applications, 33, 393; and employment-based abstinence reinforcement, 40, 387
- collateral effects*, of response blocking, 36, 119
- college instruction*, interteaching and lecture, 39, 49; guided versus completed lecture notes and quiz performance, 39, 123; of visual inspection skills, 40, 713
- common stimuli*, programming of, 32, 211
- communication*, voice output communication aid, 31, 561; functional communication training and reinforcement magnitude, 32, 197; teaching children with autism, 34, 425; evaluation of PECS, 35, 213; as treatment for elopement, 36, 239; assessment of in autism, 38, 303; sign language with infants, 40, 15; training in children with developmental disabilities, 40, 431; spontaneity in autism, 40, 565
- communication*, see also functional communication training
- community behavior analysis*, increasing safety belt use, 31, 655, 36, 249; reduction of bathroom graffiti, 33, 89; increasing reusable dinnerware, 40, 301
- community-based intervention*, with developmentally disabled adults, 32, 221; to seek assistance when lost, 37, 79; proximal prompting for food bank donations, 39, 249
- comparative relations*, 40, 45
- competing activities*, treatment of skin picking, 39, 459
- competing response*, duration of in habit reversal, 34, 517
- competing stimuli*, in the treatment of pica, 35, 233; enhancing the effects of extinction, 37, 171; in functional analyses, 38, 417
- compliance*, increasing, 31, 687, 39, 495, 40, 475; with medical procedures, 32, 217, 233; by students during transitions, 32, 339; with parenting recommendations, 33, 373; effects of play on, 34, 221; choice between positive and negative reinforcement, 34, 521; effects of treatment on, 36, 379; with dental procedures, 37, 233; increasing with vocal behavior, 38, 251; with instructions by preschoolers, 39, 79; integrity of guided, 39, 369; effects of three-step prompting, 40, 703
- compliance*, see also noncompliance
- computer-based instruction*, 31, 387; and decoding skills, 33, 515; analysis of proctor marking accuracy, 35, 309; feedback and its effectiveness, 35, 427; applications with kindergarten children, 37, 67; strengthening scientific verbal behavior, 40, 179
- computer-generated graphs*, 31, 245

- computers*, for data collection, 31, 253, 36, 271, 40, 359; instruction for preschool teachers, 39, 203; skills for adults with developmental disabilities, 40, 185
- concurrent operants*, assessing reinforcers with, 31, 605, 40, 157; novel versus existing mand, 35, 295
- concurrent schedules*, fixed ratio and response effort, 31, 43; design, 31, 79; effects on preferences, 32, 479; and response bias, 33, 73; choice on, 34, 57, 36, 263; to evaluate response allocation, 34, 73; assessment of impulsivity and self-control in ADHD, 34, 397; and self-control in autism, 34, 491; behavior change and maintenance without extinction, 35, 155; magnitude and quality of reinforcement, 35, 171; assessing reinforcers with, 35, 299; adaptation to changing contingencies and ADHD, 35, 375; treatment of escape-reinforced aggression, 37, 239; in assessment of impulsivity, 38, 23, 135; and evaluation of stimulus variation, 38, 469; concurrent-chains preference assessment, 39, 1; computerized test of self-control, 39, 147; effects of stimulant medication, 39, 243; and preschoolers' preferences, 40, 249; preference assessment, 40, 767
- conditional discrimination*, procedures to promote, 31, 237; animal homologue of correspondence, 34, 127; acquisition of by children with autism, 40, 489
- conditioned establishing operations*, implications and refinements, 33, 401
- conditioned reinforcement*, in discrete-trial training, 35, 187
- conditioning*, of preferences, 36, 59, 39, 189; of food preferences, 36, 361; punishment and less intrusive consequences, 39, 35; of preschoolers' food preferences, 40, 633
- conflict analysis*, pedestrian/motor vehicle, 37, 445
- conservative dual-criterion method*, to teach visual inspection skills, 40, 713
- consonant-vowel-consonant words*, identity matching by prereaders, 33, 309
- consultation*, teachers and functional analysis, 35, 73
- contact desensitization*, to treat phobia in autism, 39, 445
- contextualism*, and applied behavior analysis (book review), 34, 379
- contiguity*, reductive effects of noncontingent reinforcement, 34, 505
- contingency*, in programmed instruction, 31, 387; direct versus indirect, 33, 1; of reinforcement, 34, 241; identification during analysis of severe behavior disorders, 34, 269; strength and response suppression, 35, 337
- contingency management*, of verbal behaviors, 31, 291; and vocational rehabilitation outcomes, 38, 359; of adolescent smoking, 38, 463; of cocaine abstinence in methadone patients, 40, 387
- contingent physical guidance*, treatment of aerophagia, 34, 89
- copy, cover, compare*, method to teach reading, 37, 339
- correspondence*, between verbal and nonverbal behavior, 33, 329; as conditional stimulus control, 34, 127
- counseling*, via e-mail, 37, 421
- covariation*, of habits, 31, 447; of problem behavior, 32, 269
- crossmodal matching*, assessment of, 31, 237
- cue value*, and conditioned reinforcement, 35, 187
- cultural practices*, behavior analysis of cultural phenomena, 32, 121
- cumulative review*, college mathematics curriculum, 35, 105
- curricular modifications*, as a classroom intervention, 34, 233
- customer greeting*, by restaurant employees, 38, 411

-D-

- dance*, training procedures for preschoolers, 37, 305
- data*, issues related to reproduced, 31, 703
- data analysis*, statistical process control, 31, 593; and functional analysis, 33, 113; changes in response efficiency, 34, 487
- data collection*, by computer, 31, 253, 40, 359; by treatment staff, 39, 253
- delay*, sensitivity to in children, 38, 23; preschoolers' tolerance for, 40, 277
- delay discounting*, of problem gamblers, 36, 449, 39, 413
- delayed reinforcement*, see reinforcement delay
- demand fading*, as treatment for food selectivity, 36, 383; interruptive, 40, 89
- dementia*, treating problem behavior, 32, 381, 35, 99; reacquisition of verbal behavior in, 33, 631; prompting to dress with minimal assistance, 36, 129; indices of happiness, 40, 541
- dental visits*, modifying children's disruptive behavior, 39, 161
- depression*, treatment of adult, 39, 463
- deprivation*, effects on engagement, 33, 495; and preferences for tangible items, 38, 107
- derived relations*, untaught verbal behavior, 40, 697
- descriptive analysis*, of consequences for problem behavior, 34, 169, 37, 431; of severe behavior disorders, 34, 269; methodology and problem behavior, 35, 137; of self-injury, 36, 267; of caregiver behavior, 38, 373; of problem behavior in the classroom, 38, 429; of problem behavior, 40, 333; unit price evaluation of severe problem behavior, 40, 463
- destructive behavior*, during mealtime, 31, 691; attention maintained, 33, 79, 40, 167; and academic tasks, functional analysis of, 33, 479; effects of fixed-time schedule on, 34, 333; sequential and matching analysis of, 36, 267
- developmental disabilities*, children in schools, 31, 21; problem behavior in, 31, 203, 33, 511; recruiting teacher praise in regular classroom, 31, 399; and functional analysis, 31, 475, 33, 207; adults with, 31, 493, 32, 529; assessment of reinforcers with, 31, 605, 40, 767; treatment challenges and DRA, 32, 9; and mood disorder, 32, 103; assessment of reinforcer preferences, 32, 111; decreasing indices of unhappiness, 32, 137; effects of reinforcement choice, 32, 161, 33, 347; adults with behavior problems, 32, 221; self-feeding, 32, 225; functional analysis of problem

- behavior, 32, 437, 33, 511; children with severe problem behavior, 32, 451; and person-centered planning, 32, 467; antecedent analyses of children's problem behavior, 32, 495; displacement of leisure items by food during preference assessments, 32, 515; treatment of destructive behavior, 33, 73, 79; establishing operations, 33, 495; treatment of self-injury and aggression, 33, 545; and effects of fixed-time schedules, 34, 1; treating aggression in, 34, 73; teaching social interactions, 34, 81; treatment of aerophagia, 34, 89; identification of contingencies, 34, 269; inappropriate verbal behavior, 34, 361; relative reinforcement effects, 34, 463; analyzing changes in response efficiency, 34, 487; reductive effects of noncontingent reinforcement, 34, 505; functional analysis and treatment of breath holding, 34, 531; application of the matching law to problem behavior, 35, 13; assessing preferences of, 35, 49, 36, 47, 59; and functional communication training, 35, 59; treatment for rapid eating, 35, 89; treatment of food selectivity, 35, 259; vocational task preference, 35, 287; evaluation of problem behavior, 35, 291; and noncontingently available alternative stimuli, 35, 407; teaching mathematics problem-solving skills, 36, 21; self-management by young children, 36, 133; training play in children, 36, 367; diaper use and toilet training, 37, 97; activity schedules for, 37, 115; vocal mand assessment and training, 37, 129; sleep problems in, 37, 209; functional analysis of tardive dyskinesia, 37, 391, 38, 239; establishing derived stimulus relations, 38, 101; sex offenders, 39, 173; frequency recording by staff, 39, 253; responding in a two-response chain, 39, 263; effects of pre-session attention, 39, 381; and vocal preference assessments, 39, 501; teaching Internet skills to adults, 40, 185; training verbal behavior, 40, 431; functions of vocal behavior, 40, 571; inappropriate maternal behavior, 40, 737; treatment of postmeal rumination, 40, 743
- diabetes*, self-management of, 33, 251; and control of excessive blood glucose monitoring, 34, 497
- dictated-words/symbol relations*, teaching to autistic children, 37, 503
- differential observing responses*, reduction of stimulus overselectivity, 32, 25; acquisition of conditional discriminations, 40, 489; in classroom settings, 40, 707
- differential reinforcement*, of a replacement mand, 31, 357; as treatment, 32, 9; of other behavior, schedules of, 32, 123; as treatment of cigarette pica, 32, 297; treatment of habits, 32, 353; and treatment of dementia, 32, 381; of alternative behavior, 33, 195; of alternative behavior and schedule thinning, 34, 17; as treatment for bizarre vocalizations, 34, 65; as treatment for food refusal, 34, 93, 511; treatment of destructive behavior with food, 34, 97; noncompliance and task completion, 34, 289; choice between positive and negative reinforcement, 34, 521; reinforcement magnitude during treatment, 35, 29; preparing children for magnetic resonance imaging, 35, 191; and children with ADHD, 35, 199; of other behavior, 35, 337; of alternative behavior for food refusal, 35, 363; increases in other responses, 36, 221; negative and treatment of problem behavior, 36, 379; as treatment for food selectivity, 36, 383; thinning reinforcer delivery, 37, 213; to treat disruptive behavior, 37, 411; to reduce tics, 37, 417; use of lag schedules, 38, 111; as control, 38, 257; negative, as treatment for problem behavior, 39, 141; treatment of pediatric sleep problems, 39, 423; treatment of needle phobia, 39, 449; emergence of novel mand forms, 40, 137; and Queen Victoria, 40, 385; using percentile schedules, 40, 475; unit price and DRO schedule thinning, 40, 529; of short response latencies, 40, 559
- direct observation*, assessment of tics, 39, 429
- disability*, social model of, 31, 509
- disability*, see also developmental disabilities, physical disabilities
- discovery research*, progressing from programmatic to, 36, 35; identifying sources of control, 38, 499
- discrete-trial teaching*, training staff implementation, 37, 535, 40, 339; teaching spontaneous communication, 40, 565; parent implementation of, 40, 685
- discrimination*, assessment of with persons with developmental disabilities, 35, 49; teaching color, in autism, 38, 555; of printed words with common letters, in autism, 40, 707
- discrimination*, see also conditional discrimination
- discrimination training*, and functional communication training, 31, 543; differentiating easy and hard problems, 40, 559; manipulating establishing operations during mand training, 40, 645
- discriminative stimulus*, effects on responding, 33, 299; noncompliance and task completion, 34, 289; effects on task compliance and problem behavior, 40, 321
- disruptive behavior*, reduced with noncontingent escape, 31, 687; functional communication training and, 32, 197, 33, 321; in elderly dementia patients, 35, 99; and descriptive assessment methodology, 35, 137; vocational setting assessment, 36, 125; treatment with response cost and differential reinforcement of other behavior, 37, 411; during dental visits, 39, 161
- dissemination*, of behavioral interventions, 36, 141
- driving behavior*, use of seat belts, 33, 635, 36, 249, 38, 533; measurement of, 34, 39; and pedestrian safety, 37, 351; vehicle conflicts, 38, 289; effects of prompting and feedback, 39, 117; use of seat belts and cell phones, 39, 341
- drug abuse*, treatment of heroin addicts, 31, 291; and temporal discounting, 34, 101; and dually diagnosed veterans, 38, 359; cigarette smoking, 40, 1; acceptance and commitment therapy for marijuana dependence, 40, 619
- drug abuse*, see also cocaine abuse
- drug-behavior interactions*, in treatment of ADHD, 32, 35
- dual diagnosis*, and behavioral treatment, 32, 103
- dualism*, and behavior analysis, 31, 707
- duration*, of item contact as an index of stimulus preferences, 32, 111; of stimulus availability in preference assessments, 40, 767

-E-

- early intervention*, toddlers with disabilities, 37, 197
- eating*, unsafe behavior, 32, 225; treatment for rapid, 35, 89; expulsion and texture assessment, 35, 183; increasing milk consumption in a preschooler, 39, 399
- eating*, see also food refusal, food selectivity, pediatric feeding disorders
- education*, effective tools for, 31, 21, 673; comprehensive behavioral systems, 31, 695; intervention implementation in general, 33, 271; for adults with severe disabilities, 37, 365; homework submission in a college course, 38, 79; interteaching versus lecture, 39, 49; contrived contingencies, 39, 405; Bertrand Russell and B. F. Skinner, 40, 587
- elderly*, independent use of activity materials, 33, 325; seat belt use by, 33, 635; disruptive behavior of dementia patients, 35, 99; dressing routines, 36, 129; problem behavior in, 37, 107, 39, 469, 40, 679; indices of happiness, 40, 541
- elopement*, assessment and treatment of, 36, 239, 37, 229
- embedded teaching*, by support staff for children with disabilities, 34, 313
- emotional and behavioral disorders*, behavior-analytic study, 31, 137; effects of fixed-time reinforcement, 39, 453
- employment*, as reinforcer for cocaine abstinence, 40, 387
- endurance*, developing in ADHD, 34, 345
- engagement*, in academic and nonacademic activities, 38, 111
- English as a second language*, response cards in teaching, 37, 219
- environmental enrichment*, effects on negative affect and SIB, 32, 103; to treat stereotypy, 37, 481
- environmental political action*, use of newsletter prompts, 37, 427
- epidemiology*, of problem behavior, 37, 283
- epistemology*, behavioral approaches, 31, 709
- equivalence classes*, formation of, 37, 67
- ergonomics*, improving office-related behaviors, 37, 457
- error correction*, timing of instructional feedback, 31, 303; in treatment of destructive behavior, 36, 355; single versus multiple repetition, 38, 511
- errors*, in using reinforcement and extinction, 33, 167
- escape behavior*, functional analysis of, 31, 669, 32, 285, 34, 229; noncontingent escape as treatment, 31, 687; treatment via response cost, 33, 255; behavior maintained by, 34, 69, 36, 105; evoked by noise, 34, 447; choice between positive and negative reinforcement, 34, 521; as reinforcer for food acceptance, 36, 349; noncontingent escape as treatment of problem behavior, 36, 379; noncontingent delivery of during dental visits, 39, 161
- escape extinction*, treatment of food refusal, 31, 691, 34, 511, 35, 363, 36, 309; effects on problem and adaptive behavior, 33, 243; effects of sleep disruption, 38, 243; noncontingent in the treatment of elder aggression, 39, 469; treatment of food expulsion, 40, 749
- establishing operations*, for problem behavior, 32, 371, 393, 34, 447; displacement of leisure items by food during preference assessments, 32, 515; and functional communication training, 33, 53; and preference assessments, 33, 85; implications and refinements, 33, 401; current research and functional analysis, 33, 411; during NCR, 33, 433; influence during functional analysis, 33, 451, 463, 34, 237; academic tasks and problem behavior, 33, 479; effects of deprivation on engagement, 33, 495; transitional objects and thumb sucking, 33, 507; book review, 33, 643; social proximity as, 34, 85; destructive behavior and food reinforcement, 34, 97; role in food selectivity, 35, 259, 36, 361; meals as, 35, 411; influence on problem behavior maintained by different reinforcers, 36, 297; effects on escape behavior, 36, 355; terminology, 36, 407; sensitization and habituation as, 36, 421; that influence non-compliance, 37, 145; effects on preferences for tangible items, 38, 107; methylphenidate and disruptive behavior, 38, 125; effects of satiation, 38, 317; antecedent control, 39, 239; effects of pre-session attention, 39, 381; and matched stimulation, 40, 73; to establish derived manding, 40, 105; stimulus control during mand training, 40, 645
- establishing operations*, see also motivating operations
- evaluation*, normative based, 37, 365
- exclusion-based learning*, enhanced outcomes and autism, 36, 507; teaching dictated-word/symbol relations, 37, 503
- exhalation duration*, and carbon monoxide detection, 35, 415
- experimental analysis of behavior*, gene-brain-behavior relations, 34, 539; of academic interventions, 38, 485, 39, 323, 40, 203
- experimental design*, control conditions, 36, 221, 38, 257; multiple probe design across tasks, 37, 111; random blocks of two group, 38, 79; alternating treatment design and traffic safety, 38, 289
- explanation*, biology and behavior analysis (book review), 37, 539
- exposure therapy*, and Carl Jung, 32, 533
- exposure-based treatment*, and changing criterion design, 34, 497
- extinction*, with functional communication training, 31, 211; and magnitude of reinforcement, 31, 313; disruption of response-reinforcer relationship, 31, 475; schedule effects, 31, 529; of self-injurious behavior, 32, 1, 99; effects of reinforcement magnitude on spontaneous recovery during, 32, 197; of problem behavior, 32, 269; analysis of sequential effects, 33, 313; versus satiation under NCR, 33, 419; during NCR, 33, 433; with differential reinforcement, 34, 65; of multiple aggressive behaviors, 34, 85; reinforcement magnitude and resistance to, 35, 29; and acquisition of functional communication, 35, 59; vs. NCR and DRO, 36, 221; and response rates during noncontingent reinforcement, 36, 525; of food refusal, 37, 27; with and without noncontingent attention or toys, 37, 171; and dense reinforcement schedules, 37, 323; and schedule thinning, 38, 177; to improve compliance, 38, 235; as control, 38, 257; effects on problem behavior, 39, 239; responding in a two-response chain, 39, 263; value of

- stimuli correlated with, 39, 475; burst by Queen Victoria, 40, 385; antecedent interventions for compliance, 40, 535
- extinction*, see also escape extinction, sensory extinction
eyewitness testimony, social antecedents of children's, 36, 459
- F-
- facial models*, imitation in autism, 40, 755
- fading*, bedtimes with response cost, 31, 127; to increase fluid consumption, 34, 357; of instructions, 35, 291; to increase food variety, 37, 159; of reinforcer delivery, 37, 213
- feedback*, enabling the providing of, 31, 263; and instructional improvement, 31, 417; industrial applications, 32, 241; verbal instructions and reinforcement, 35, 195; for maintaining supervisory performance, 35, 205; effects on athletic performance, 35, 247; via public address system, 35, 305; accuracy and classification of, 35, 309, 427; and treatment of destructive behavior, 36, 355; staff training, 37, 535; of employee cleaning performance, 38, 117; effects on implementation of behavior support plans, 38, 205, 40, 447; graphic and verbal for restaurant employees, 38, 411; biofeedback for respiratory distress, 38, 529; versus contingent money during staff training, 39, 63; effects on driving behavior, 39, 117; staff frequency recording, 39, 253; to improve fiction writers' productivity, 39, 393; effects on caregiver behavior, 39, 489; effects on hospital safety, 40, 673
- feeding disorders*, see pediatric feeding disorders
- finger sucking*, analysis and treatment, 33, 41
- finger nail biting*, treatment with habit reversal, 32, 353; duration of competing response, 34, 517
- fixed-interval schedules*, and U.S. Congress, 36, 465
- fixed-time schedules*, effects of, 31, 529; for reducing behavior, 32, 237; and baseline reinforcement rate, 34, 1; effects on aberrant and adaptive behavior, 34, 333; to maintain behavior, 34, 337; reductive effects of noncontingent reinforcement, 34, 505; food presentation as treatment for hand mouthing, 36, 541; effects on problem behavior of children with emotional and behavioral disorders, 39, 453; to increase compliance, 39, 495
- fluency*, developing in ADHD, 34, 345; treatment of a vocal tic, 38, 129
- follow-up*, acquisition of tacts, 35, 419
- food*, stealing in Prader-Willi syndrome, 33, 615; as a reinforcer before and after meals, 35, 411
- food banks*, prompting donations to, 39, 249
- food refusal*, treatment of, 31, 621, 691, 34, 93, 35, 65, 363, 36, 89, 309, 349, 37, 27; using fading to increase fluid consumption, 34, 357; by young children, 36, 105; treatment of with blending techniques, 37, 159; redistribution to reduce packing, 38, 39; and associated self-injury, 38, 549; treatment of expulsion, 40, 749
- food selectivity*, assessment of, 31, 621; treatment of by parents, 34, 511, 36, 383; and texture assessment, 35, 183, 38, 89; simultaneous and sequential presentation of preferred and nonpreferred food, 35, 259; treatment of, 36, 361; treatment of with blending techniques, 37, 159; and treatment of packing, 38, 405; increasing milk consumption by a preschooler, 39, 399
- football*, performance management, 35, 1; play calling and the generalized matching law, 39, 281; intervention to improve coaching, 39, 385
- free play*, measurement of preschoolers' activities, 40, 603
- friendship skills*, acquisition by preschoolers, 40, 277
- function-based treatments*, matching treatment to function, 31, 475
- functional analysis*, of children with ADHD, 31, 65; of problem behavior, 31, 79, 32, 371, 33, 13, 109, 463, 511, 35, 59, 295, 37, 283, 39, 239, 40, 167; of aggression, 31, 103, 32, 451, 34, 73, 225, 237; and response-response relations, 31, 339; of habits, 31, 447; of tics, 31, 471; of destructive behavior, 31, 475, 33, 479; of self-injury, 31, 479, 635, 647, 32, 99, 123, 317, 33, 195, 223, 451, 34, 17; of property destruction and stereotypy, 31, 513; as assessment, 31, 529; of self-injurious escape behavior, 31, 669; in schools, 31, 679; of aberrant behavior, 32, 9, 33, 113; and treatment of hyperactivity, 32, 35; and treatment of self-injury, 32, 51; brief versus extended, 32, 149; outcome comparisons based on 5-, 10-, and 15-min sessions, 32, 175; of aggression and self-injury, treatment choice, 32, 185, 33, 545; false-positive results and incidental maintenance, 32, 201; of antecedent events, 32, 229; of self-injury and aggression, 32, 247, 33, 167; response class hierarchies and, 32, 269; of escape behavior, 32, 285, 33, 255, 34, 211, 229; of cigarette pica, 32, 297; of hair pulling, 32, 329; of severe problem behavior, 32, 437, 38, 417; of finger sucking, 33, 41; brief, in outpatient clinical settings, 33, 109; simulation for training purposes, 33, 181; of self-injury and stereotypy, 33, 207; effects of different adults as therapists, 33, 247; of stereotypy, 33, 285; effects of discriminative stimuli with multielement designs, 33, 299; use of extinction in, 33, 313; of disruptive classroom behavior, 33, 343; influence of establishing operations during, 33, 411; of stereotypy in autism, 33, 559; clarifying inconclusive outcomes, 34, 61; brief, of bizarre vocalizations, 34, 65; naturalistic observation of consequences used in, 34, 169; of self-injury during transitions, 34, 195; classroom based, 34, 233; of problem behavior (book review), 34, 255; of tics in Tourette's syndrome, 34, 353; of inappropriate verbal behavior, 34, 361; book review, 34, 365; of problem behavior evoked by noise, 34, 447; detrimental effects of physical restraint, 34, 501; and treatment of breath holding, 34, 531; and treatment of hair twirling, 34, 535; role of protective equipment, 35, 69; teacher acquisition of methodology, 35, 73; of stereotypical ear covering, 35, 95; of disruptive behavior of dementia patients, 35, 99; of precursor behaviors, 35, 125; descriptive assessment methodology, 35, 137; in children with ADHD, 35, 199; effect of therapist attention on self-injury, 35, 283; via reinforcer assessments, 35, 299; with multiple maladaptive behaviors, 35, 299; of problem behavior

in the classroom, 35, 349; and noncontingently available alternative stimuli, 35, 407; of behavior maintained by automatic reinforcement, 36, 1; of bizarre speech, 36, 101, 37, 395; brief, of disruption in a vocational setting, 36, 125; of problem behavior, a review, 36, 147; of inappropriate mealtime behavior, 36, 187; of self-injury in young children, 36, 205; of elopement, 36, 239, 37, 229; of verbal perseverations in an adult with autism, 36, 259; of aversive stimuli in classroom demand contexts, 36, 339; of food selectivity, 36, 383; teachers as therapists, 36, 563; of skills in children with autism, 37, 11; protective equipment and self-injury, 37, 73; training teachers to implement, 37, 89; and treatment of destructive behavior, 37, 171; analogue, of tardive dyskinesia, 37, 391, 38, 239; of inappropriate sexual behavior, 37, 401; instructional effects on, 37, 509; methylphenidate and disruptive behavior, 38, 125; of problem behavior in children with autism, 38, 147; of vocal behavior, 38, 251; of emerging speech, 38, 303; motivating operations within, 38, 385; of tantrums, 39, 103; conducting with telemedicine, 39, 333; effects of pre-session attention, 39, 381; of escape behavior, 39, 469; inconclusive findings, 40, 89; of noncompliance, 40, 173, 535; video modeling and staff acquisition, 40, 197; computer-based data collection, 40, 359; unit price evaluation of severe problem behavior, 40, 463; vs. paired-choice assessment, 40, 545; functions of vocal behavior in developmental disabilities, 40, 571; of problem behavior of elderly adults in long-term care, 40, 679; of problem behavior maintained by negative reinforcement, 40, 719; noncontingent reinforcement as treatment, 40, 725; effects of pre-session attention, 40, 731

functional analytic psychotherapy, treatment of adult depression, 39, 463

functional communication training, as a treatment for problem behavior, 31, 211, 33, 321, 34, 229; component analysis and discrimination training, 31, 543; as treatment, 31, 647; treatment for aggression and self-injury, 32, 185; and severe behavior problems, 32, 247, 451; effects of, 33, 53; and access to preferred stimuli, 33, 73; effects of continuous and intermittent reinforcement, 33, 167; noncontingent and contingent reinforcement, 33, 195; and schedule thinning, 34, 17, 38, 177; to reduce aberrant behavior, 34, 73; and choice, 34, 211; effects of extinction on, 35, 59; to reduce problem behavior maintained by negative reinforcement, 35, 295; treatment of escape-reinforced aggression, 37, 239; thinning reinforcement schedules, 37, 323; and punishment, 38, 51; of self-injury and self-restraint, 38, 537

functional equivalence, and establishing operations, 33, 53

-G-

gambling, and delay discounting, 36, 449, 39, 413; addiction and choice, 39, 351

generalization, of sexual abuse prevention skills, 31, 91, 32, 385; of a replacement mand, 31, 357; recruiting teacher praise, 31, 399; of reductions in problem behavior, 32,

247; in treatment of phonological disorder, 36, 325; of exclusion-based conditional discriminations to undefined stimuli, 36, 507; of academic responding, 37, 111; of martial arts techniques, 37, 185; by recombination of textual units, 37, 223; of oral reading fluency, 38, 485, 39, 323, 40, 203; of punishment across settings and therapists, 39, 35; of social skills, 40, 123; of verbal interactions, 40, 353; of intraverbal training, 40, 411; enhancing stimulus generalization of academic behavior, 40, 553; of spontaneous communication, 40, 565

generalized matching law, in elite sport competition, 39, 281

genetics, gene-brain-behavior relations, 34, 539; in a child's oppositional behavior, 37, 43

geographical origin, of JABA authors, 33, 339

geriatric patients, engagement in activities, 32, 107, 33, 325; and differential reinforcement, 32, 381; problem behavior of, 40, 679

goal setting, and football performance, 35, 1; and soccer performance, 35, 247; and rugby performance, 39, 257; and bicycle safety, 40, 239; and hospital safety, 40, 673

graduate students, training of (book review), 37, 243

graffiti, reduction through sign usage, 33, 89

graphic presentation, of single-case data, 31, 245; of performance feedback, 38, 117

gross-motor skills, acquisition by preschoolers, 37, 305

guided notes, versus completed lecture notes and college students' quiz performance, 39, 123

-H-

habit disorders, treatment of, 31, 447, 32, 353; thumb sucking and transitional objects, 33, 507; treatment of with awareness enhancement device, 34, 77

habit reversal, review and analysis, 31, 447; treatment of fingernail biting, 32, 353; of skin picking, 34, 217, 39, 459; duration of competing response, 34, 517; of vocal tics in children, 36, 109

habit reversal see also simplified habit reversal

habits, treatment of, 31, 471; tics in Tourette's syndrome, 34, 353, 36, 109

hair pulling, treatment of, 31, 299, 665; analysis of, 32, 329

hair twirling, functional analysis and treatment of, 34, 535

hand flapping, classroom-based functional assessment, 34, 233

hand mouthing, treatment of, 31, 375; reduction using fixed-time food, 36, 541

happiness, increasing indices of and severe disabilities, 32, 137; in profound multiple disabilities, 37, 531; indices of in elderly dementia patients, 40, 541

health, in community settings, 32, 221

heroin addicts, verbal behavior of, 31, 291

high-probability requests, and compliance with medical procedures, 31, 287; and student compliance during transitions, 32, 339; to increase compliance, 33, 259, 39, 495

high-probability sequence, in the treatment of food refusal, 36, 105; treatment of noncompliance, 40, 535

home-based intervention, for escape-maintained problem behavior, 32, 495
homework, contingencies for submission, 38, 79
horses, target training and shaping, 34, 409
hospitals, safety behavior in operating rooms, 40, 673
human operant research, methods in, 33, 119
hypoglycemia, control of excessive blood glucose monitoring, 34, 497
hypothetical constructs, thoughts and emotions as, 31, 705
hypoxia, functional analysis and treatment of breath holding, 34, 531

-I-

identity matching, training with prereaders, 33, 309; and acquisition of conditional discriminations, 40, 489
imitation, of peers, 40, 327; generalized, in autism, 40, 685, 755
improvisation, in manding with PECS, 39, 109
impulsivity, effects of reinforcer delay, 31, 203; assessment of, 32, 451; and attention deficit hyperactivity disorder, 33, 233, 34, 397, 38, 23; effects of methylphenidate on, 38, 135; computerized test of, 39, 147; in pathological gamblers, 39, 413
in situ training, to prevent gun play in children, 37, 513, 38, 395, 40, 691; for abduction prevention, 39, 25
in vivo desensitization, to increase compliance with dental procedures, 37, 233
incentives, in vocational rehabilitation, 38, 359
inclusion, toddlers with disabilities, 37, 197
incontinence, effects of diaper wearing, 37, 97
industrial applications, of behavioral principles, 32, 241
infants, see children
injury prevention, and behavioral principles, 32, 241; decreasing risk taking on playground, 34, 349
inpatient treatment, goals of, 31, 157; of problem behavior, 37, 283
instructional control, of functional analysis outcomes, 37, 509
instructional hierarchy, noncompliance and task completion, 34, 289
instructional strategies, learning multiplication facts, 31, 323; book review, 33, 643; effects of strategic versus tactical instructions, 35, 375; teacher-directed vs. student-directed, 36, 133; use of response cards, 37, 405; preschoolers' preferences for motivational systems, 40, 249
instructions, versus modeling on sensitivity to reinforcement schedules, 37, 267; preschoolers' ability to follow, 40, 277
interaction, in programmed instruction, 31, 387; social, of adolescents in residential care, 33, 239
intermittent reinforcement, and functional communication training, 35, 59
Internet, intervention to increase fiction writers' productivity, 39, 393
interpretation, biology and behavior analysis (book review), 37, 539
interteaching, versus lecture, 39, 49
interventions, informational, 33, 101; play as antecedent,

34, 221; home-based pyramidal parent training, 36, 77; selection model for classrooms, 36, 563; school-based to improve bus-riding behavior, 36, 583; antecedent for pediatric feeding disorders, 38, 89; assessment-based for severe behavior problems, 39, 375; environmental, 40, 301; video feedback plus group parent training, 40, 737
intraverbals, generalization of question answering, 40, 411; emergence of antonyms, 40, 697

-J-

Journal of Applied Behavior Analysis, authorship trends, 31, 497, 33, 339; treatment integrity of school-based studies, 40, 659
journals, citation analysis, 36, 113; prompting timely peer review, 37, 523
Jung, Carl, and behavior analysis, 32, 533

-K-

Keller, Fred S., influences on education, 31, 695

-L-

lag schedules, to increase response variability, 35, 391
Lalli, Joseph S., in remembrance, 34, 559
language, generalization of a replacement mand, 31, 357; spontaneous question asking, 33, 627; teaching social interactions to children with autism, 34, 81; spontaneous question asking, 36, 285; investigations and derived transfer, 38, 445; teaching color discrimination in autism, 38, 555; training to tact and mand, 39, 17; spontaneous, in autism, 39, 233; sign language with infants, 40, 15; novel mand forms in preschoolers, 40, 137; training verbal behavior in children with developmental disabilities, 40, 431; teaching Chinese pronunciation, 40, 583; emergence of antonyms, 40, 697
language, see also sign language
law enforcement, of bicycle helmet use, 40, 239
learning, effect of prior, 31, 503; book review, 31, 713; errorless, 40, 185
learning disabilities, learning multiplication facts, 31, 323; response cards in teaching, 37, 219
lecture notes, guided versus completed, 39, 123
leisure activities, assessment of preference, 34, 179; training skills with activity schedules, 37, 115; as controls in functional analyses, 38, 417; teaching Internet skills, 40, 185
lists, effects of writing on MTS performance, 31, 1
literature review, of functional analysis methodology, 32, 185
logical positivism, and behavior analysis, 31, 707
lottery, to promote math performance, 35, 403

-M-

magnetic resonance imaging, preparation of children for, 35, 191
Maimonides, and positive reinforcement, 39, 405

- mainstreaming*, recruiting teacher praise, 31, 399
- maintenance*, of accurate math responses, 32, 211; of proenvironmental behavior, 33, 101; and fixed-time schedules, 34, 337; and concurrent schedules, 35, 155; of supervisor performance, 35, 205; of staff behavior, 36, 575; of punishment and intermittent pairings, 39, 35; and staff reactivity to observations, 40, 191
- mands*, evaluating the effects of, 33, 53; alternative communicative response, 35, 295; mand-tact training, 35, 419, 39, 17; vocal mand assessment and training, 37, 129; in the classroom, 37, 517; teaching adults with developmental disabilities, 38, 101; directly trained and derived, 38, 445; and reinforcer strength, 39, 17; alternative communicative response, 39, 423; establishing operations to establish derived manding, 40, 105; emergence of novel forms, 40, 137; training in autism, 40, 645
- martial arts*, promoting response variability in, 37, 185
- matched stimulation*, and automatic reinforcement, 39, 137, 40, 73
- matching*, effects of modeling versus instructions on, 37, 267; teaching color discrimination in autism, 38, 555
- matching analysis*, of self-injury, 36, 267; of problem behavior in the classroom, 38, 429
- matching law*, application to basketball performance, 33, 137, 40, 311; and NCR, 33, 433; applied importance of, 33, 573; reinforcer dimensions affecting choice, 34, 57; and noncontingent and alternative reinforcement, 37, 249; and football play calling, 39, 281; application to social dynamics, 40, 589
- matching to sample*, assessment of memory for complex samples, 31, 1; procedures to promote, 31, 237; stimulus overselectivity, 32, 25; and exclusion, 33, 97; complex samples and naming, 36, 487; delayed constructed response, 37, 223
- mathematics*, number line procedures, 31, 417; maintenance of performance, 32, 211; and token rewards, 32, 375; training problem solving, 35, 105, 36, 21; teaching formula-to-graph relations, 38, 1, 39, 299; home-based peer tutoring, 40, 223
- measurement*, criteria and standards for, 31, 263; accuracy of self-reports, 31, 485; and probabilistic reward, 35, 403; momentary time sampling vs. partial-interval recording, 40, 501; momentary time sampling of activities, 40, 603
- mediation*, use of written lists, 31, 1
- medical regimens*, accuracy of self-reports, 31, 485
- medication*, evaluation of methylphenidate, 33, 593; and task performance in mental retardation, 36, 245
- memory aid*, for brain injured, 33, 251
- mental hospitals*, purpose of, 31, 157
- mental illness*, inappropriate verbal behavior, 34, 361
- mental retardation*, and severe problem behavior, 31, 211; attention-maintained problem behavior, 32, 371; and mental illness, 33, 611; paired-stimulus preference assessment, 35, 209; smoking cessation program, 35, 415; medication and task performance, 36, 245; and tardive dyskinesia, 38, 239
- mentally retarded adolescents*, assessing social skills of, 31, 431; stimulus overselectivity, 32, 25
- mentally retarded adults*, concurrent schedules, 31, 43; teaching sexual abuse prevention to, 31, 91, 32, 385; and recombinative generalization of sound–print correspondences, 36, 95; teaching self-control, 36, 263; increasing compliance with dental procedures, 37, 233; problem behavior in work settings, 38, 163
- mentally retarded children*, treatment of pica, 33, 619; pyramidal parent training, 36, 77; delayed matching and naming, 36, 487
- metacontingencies*, analysis of cultural practices, 32, 121
- methadone*, and injection cocaine use, 40, 387
- methodological behaviorism*, and behavior analysis, 31, 707
- methylphenidate*, treatment of disruptive behavior, 32, 35; assessment of separate and combined effects on disruptive behavior, 36, 375; effects on disruptive behavior, 38, 125; effects on impulsivity, 38, 135
- Microsoft® Visual Basic*, programming for data collection, 36, 271
- Microsoft® Visual Studio*, for functional analysis data collection, 40, 359
- mnemonic strategies*, learning multiplication facts, 31, 323
- modeling*, effects on verbal behavior in severe dementia, 33, 631; versus instructions on sensitivity to reinforcement schedules, 37, 267; and gross-motor skill training, 37, 305
- modeling*, see also video modeling
- money*, contingent money versus feedback during staff training, 39, 63
- motion control*, during magnetic resonance imaging, 35, 191
- motivating operations*, terminology, 36, 407; combined antecedent variables as, 38, 385; effects on preference, 39, 189; effects of pre-session attention, 39, 381; in functional analysis, 40, 89; effects on task compliance and problem behavior, 40, 321; peer mediated, 40, 327; effects of pre-session attention, 40, 731
- motor skills*, and tardive dyskinesia, 38, 239
- mouthng*, see hand mouthng, object mouthng
- multielement design*, differential responding with and without discriminative stimuli, 33, 299
- multioperant behavior*, stereotypy in autism, 33, 559
- multiple control*, of destructive behavior, 34, 97; of severe problem behavior, 39, 375
- multiple disabilities*, preference assessment in supported work, 31, 281
- multiple-exemplar training*, generalizing exclusion skills, 36, 507; in mathematics, 39, 299; and relational frame theory, 40, 45; of social skills, 40, 123
- muscle tension*, biofeedback to reduce, 38, 529
- music*, as establishing operation, 39, 141

-N-

- nail biting*, see fingernail biting
- naming*, role of in delayed matching, 36, 487; teaching children with autism, 39, 233
- negative reinforcement*, see reinforcement
- neuroscience*, gene–brain–behavior relations, 34, 539

- newsletters*, as prompts for environmental political action, 37, 427
- nicotine*, voucher program for smoking abstinence, 38, 349; 40, 1
- noise*, problem behavior evoked by, 34, 447
- noncompliance*, effects of high-probability requests, 31, 287, 39, 495; brief functional assessment of, 37, 145; in preschool children, 39, 369, 40, 173, 535
- noncontingent reinforcement*, and reinforcement magnitude, 31, 313, 32, 529; schedule effects, 31, 529; as treatment for self-injury, 31, 635; proper use of term, 32, 237, 239; as treatment of cigarette pica, 32, 297; treatment of attention-maintained behavior, 33, 79; during response acquisition, 33, 195; schedule effects and self-injury, 33, 223; peer attention and disruptive classroom behavior, 33, 343; satiation versus extinction effects, 33, 419; operant mechanisms, 33, 433; and variable-time schedules, 33, 545; arbitrary reinforcers to reduce self-injury, 33, 623; and effects of fixed-time schedules, 34, 1; treatment of food refusal, 34, 93, 37, 27; fixed-time schedules to maintain behavior, 34, 337; reductive effects of, 34, 505; as treatment for disruptive behavior, 35, 99; for behavior maintained by automatic reinforcement, 36, 1, 37, 83; evaluation of long-term treatment effects, 36, 1; maintenance of behavior, 36, 221; effects of reinforcer consumption and magnitude, 36, 525; as treatment for hand mouthing, 36, 541; effects on rate of object mouthing, 36, 579; enhancing the effects of extinction, 37, 171; and the matching law, 37, 249; thinning reinforcement schedules, 37, 323; for bizarre speech, 37, 395; to improve compliance, 38, 235; as control, 38, 257; as treatment for self-injury and food refusal, 38, 549; during dental treatment, 39, 161; to increase on-task behavior, 40, 317; with stimulus signaling, 40, 725; treatment of postmeal rumination, 40, 743
- novel relations*, complex variations, 38, 1
- novelty*, training college students, 35, 105
- nursing assistants*, training, 32, 107
- nutrition*, in developmentally disabled adults, 32, 221
- O-
- object manipulation*, and stereotypic self-injurious behavior, 32, 51
- object mouthing*, effects of noncontingent access to food, 36, 579
- observation*, via computerized systems, 31, 253; via scatter plot, 31, 593; using real-time recording, 32, 119; and measurement of driving behavior, 34, 39; the matching law and problem behavior, 35, 13; effects on observer's behavior, 37, 457; staff reactivity to, 40, 191
- obsessive compulsive disorder*, exposure and response prevention, 39, 441
- off-task behavior*, assessment and treatment of, 35, 199; effects of a public address system on, 35, 305
- office buildings*, informational interventions in, 33, 101
- on-task behavior*, increased through teacher greeting, 40, 317
- oppositional behavior*, generalization of a child's, 37, 43
- oral-digital habits*, duration of competing response, 34, 517
- organizational behavior management*, in education, 31, 695; and safety, 32, 241; and energy saving, 33, 101; and restaurant employees, 38, 117; preintervention analysis, 38, 411; and hospital safety, 40, 673
- outcome management*, for improving staff performance, 36, 575; for improving treatment services, 37, 365
- outpatient treatment*, of pica, 33, 619
- overjustification effect*, case example of, 36, 35
- P-
- packing*, treatment to reduce food, 38, 39, 405; evaluation of texture to reduce, 38, 89
- pairing*, punishment and less intrusive consequences, 39, 35
- parent training*, to provide feedback to spouse, 31, 131; increasing adherence to recommendations, 33, 373; home-based pyramidal, 36, 77; to implement pediatric feeding protocols, 36, 545; in treatment of child's oppositional behavior, 37, 43; to improve children's oral reading fluency, 40, 203; implementation of discrete-trial teaching, 40, 685; to prevent gun play, 40, 691; of three-step prompting, 40, 703; effects on inappropriate maternal behavior, 40, 737
- parent-child interactions*, reinforcement contingencies, 38, 373
- parents*, as therapist for sleep problems, 31, 127; as therapists for food selectivity, 36, 383; as therapists for improving reading fluency, 38, 129
- participant reactivity*, measurement of driving behavior, 34, 39
- pedestrian safety*, citywide intervention, 37, 351; at multilane crosswalks, 37, 445
- pediatric feeding disorders*, treatment of, 36, 105, 36, 309; inappropriate mealtime behavior, 36, 187; training parents to treat, 36, 545; redistribution to reduce packing, 38, 39; evaluation of texture to reduce packing, 38, 89; effects of sleep disruption, 38, 243; to reduce packing, 38, 405; treatment of expulsion, 40, 749
- pediatric feeding disorders*, see also food refusal, food selectivity
- pediatrics*, see behavioral pediatrics
- pedometer*, use in promotion of physical activity, 37, 421
- peer interaction*, and children with autism, 34, 425; imitation in preschoolers, 40, 327
- peer tutoring*, with elementary school children, 31, 417; as an intervention for ADHD, 31, 579; cross-age social skills training, 32, 115; in mathematics, 40, 223; effects on social interactions, 40, 353
- peer-mediated treatment*, and children with ADHD, 35, 199
- penile plethysmograph*, assessment of arousal in sex offenders, 39, 173
- performance*, criteria for measuring, 31, 263; management of athletic performance, 35, 1; accuracy of in magnetic resonance imaging, 35, 191; maintenance of with supervisors, 35, 205; management of restaurant employees, 38, 117; of staff during observations, 40, 191

- person-centered planning*, evaluation of preferences, 32, 467, 33, 639
- personalized system of instruction*, as a teacher training package, 31, 695; computer aided, 32, 205, 35, 309, 427
- perspective-taking skills*, teaching children with autism, 36, 253
- pervasive developmental disorder*, effects of fixed-time schedule on, 34, 333; using fading to increase fluid consumption, 34, 357
- philosophical behaviorism*, history of, 33, 263
- philosophy*, behavioral and medical, 31, 311
- phobic behavior*, insects, 32, 95; specific, in a child with autism, 39, 445; treatment of needle phobia, 39, 449
- phonics instruction*, computer-based, 37, 67
- phonological disorder*, treatment of, 36, 325
- physical activity*, increasing in overweight adults, 37, 421
- physical disabilities*, spelling instruction, 37, 469
- physical education*, behavior analysis in, 31, 163; effects of a public address system on off-task behavior, 35, 305
- physical therapy*, increasing compliance, 36, 371; choices and acquired brain injury, 37, 101
- pica*, treatment of social and automatic functions, 31, 165; assessment and treatment of cigarette, 32, 297; biological intervention, 33, 619; response blocking with and without redirection, 34, 527; varying response effort in treatment of, 35, 233; response blocking with and without redirection, 38, 391
- pictorial cues*, in activity schedules for autistic children, 31, 191; and social communication in autism, 34, 425
- pictorial preference assessment*, prerequisite skills, 38, 543; and developmental disabilities, 39, 131
- pictorial prompts*, blocking effect on sight reading, 33, 317
- picture exchange communication system*, evaluation of, 35, 213; teaching improvisation in requests, 39, 109
- pigeons*, animal homologue of correspondence, 34, 127
- play*, training children with developmental disabilities, 36, 367; pretend play in toddlers with disabilities, 37, 197
- playground*, injury prevention, 34, 349
- Pocket PC®*, programming, 36, 271
- police*, enforcement and pedestrian safety, 37, 351
- positive reinforcement*, see reinforcement
- practice*, effects of review procedures, 35, 105
- Prader-Willi syndrome*, food stealing, 33, 615
- praise*, recruited by students with disabilities, 31, 399; to encourage engagement, 32, 107
- precision teaching*, in ADHD, 34, 345
- precurent behavior*, in solving mathematics story problems, 36, 21
- precursor behaviors*, and behavior disorders, 35, 125
- preferences*, assessment of for oral stimulation, 31, 165; prework assessment of, 31, 281; to identify reinforcers, 31, 605; duration- and approach-based assessments, 32, 111; as a function of access to chosen activities, 32, 419; evaluation of in person-centered planning, 32, 467, 33, 639; comparison of methods for assessing, 32, 479; displacement of leisure items by food during preference assessments, 32, 515; assessment in identification of competing stimuli, 33, 13; assessments and establishing operations, 33, 85; of stimuli as reinforcement, 33, 93; assessment of less preferred items, 33, 105; for positive vs. negative reinforcement, 33, 255; comparison of verbal and tangible stimulus preference assessments, 33, 329; assessment in naturalistic context, 33, 353; establishing operations, 33, 495; for unreliable reinforcement, 33, 533; longitudinal analysis of assessment, 34, 179; relative reinforcement effects, 34, 463; single stimulus engagement assessment, 34, 475; assessment of with persons with developmental disabilities, 35, 49, 38, 543; of adults with autism in supported work, 35, 85; paired stimuli assessment, 35, 209; for vocational tasks, 35, 287; for leisure and work activities, 36, 47, 59; assessment in food selectivity, 36, 361; assessment of in profound multiple disabilities, 37, 531; among contexts, 38, 51; assessment of for tangible items, 38, 107; assessment in the classroom, 38, 111; embedding within teaching, 38, 221; assessment of in students with emotional-behavioral disorders, 38, 399; for single high-quality versus varied low-quality stimuli, 38, 469; training staff to conduct preference assessments, 39, 63; assessment of in developmental disabilities, 39, 131, 501; longitudinal analysis of stability, 39, 189; assessment with toddlers, 40, 157; assessment of preschoolers' activities, 40, 603; and duration of stimulus availability, 40, 767
- Premack principle*, and response restriction, 33, 285, 36, 59
- preschool children*, concurrent schedules, 31, 43; social skills of, 31, 117; effects of choice making on behavior, 32, 63; with and without disabilities, 33, 93; assessment of problem behavior, 34, 61; embedded teaching by support staff, 34, 313; treatment of self-injury, 36, 205; treatment of disruptive behavior, 37, 411; descriptive analysis of problem behavior, 37, 43; mixed and multiple reinforcement schedules, 38, 499; reinforcer assessment, 39, 1; instruction-based interactions, 39, 79; functional assessment of tantrums, 39, 103; compliance training, 39, 369, 40, 535; increasing milk consumption, 39, 399; stimulus control of approaches, 39, 475; emergence of novel mands, 40, 137; functional analysis of noncompliance, 40, 173; preferences for motivational systems, 40, 249; acquisition of life skills, 40, 277; generalization of question answering, 40, 411; assessment of activity preferences, 40, 603; healthy snack choices, 40, 633
- prevention*, of problem behavior, 32, 393; of gun play in children, 37, 1; of child abduction, 38, 67
- priming*, applications of, 31, 117; to establish schedule sensitivity, 37, 267
- private events*, problems posed by, 31, 705; and behavior analysis, 31, 707; indices of happiness, 40, 541
- problem behavior*, assessment of multiply controlled, 31, 79; severe with individuals with developmental disabilities, 31, 211; maintained by automatic reinforcement, 31, 493; treatment of, 31, 529; effects of choice on, 32, 63; functional analysis of, 32, 269; and establishing operations, 32, 393, 33, 401; assessment of, 33, 113; stereotypy in autism, 33, 559; suppression

- of covert food stealing, 33, 615; changes in response efficiency, 34, 487; stereotypical ear covering, 35, 95; and concurrent schedules, 35, 155; ancillary effects of PECS, 35, 213; assessment of mand selection for FCT, 35, 295; choice of activity as treatment, 35, 349; severe, 35, 407; review of functional analysis methodology, 36, 147; and establishing operations in classroom setting, 36, 297; effects of treatment on, 36, 379; short-term inpatient model to assess and treat, 37, 283; in the preschool classroom, 37, 431; functional analysis of, 38, 147, 40, 719; adults with mental retardation in work settings, 38, 163; reducing during teaching, 38, 221; descriptive and matching analyses of, 38, 429; maintained by escape from demands, 40, 25; measurement of, 40, 501; functional analysis vs. paired-choice assessment, 40, 545; effects of pre-session attention in functional analyses, 40, 731
- problem solving*, training college students, 35, 105; by teaching precurent skills, 36, 21; by children with autism using PECS, 39, 109; analysis and treatment of multiply controlled, 39, 375
- procrastination*, by U.S. Congress, 36, 465
- product reuse*, dinnerware in a cafeteria, 40, 301
- profound multiple disabilities*, decreasing indices of unhappiness, 32, 137, 38, 221; identification of preferences, 32, 467; increasing indices of happiness, 37, 531
- programmed instruction*, 31, 387; applications with preschool teachers, 39, 203; strengthening scientific verbal behavior, 40, 179
- programming common stimuli*, to increase social interaction, 40, 353; to enhance stimulus generalization of academic behavior, 40, 553
- progressive-ratio schedules*, assessment of reinforcers, 34, 145, 38, 335
- prompting*, initiations using a tactile prompt, 31, 651, 35, 79; safety belt use, 31, 655, 36, 249, 38, 533; engagement by older adults with dementia, 32, 107; signs to reduce bathroom graffiti, 33, 89; drivers at stop signs, 34, 185; graduated with adults with dementia, 36, 129; effects of delayed prompts on infant sign language acquisition, 37, 379; newsletters as prompts for political action, 37, 427; signs vs. pavement markings, 37, 445; constant delayed-prompt procedure to teach spelling, 37, 469; of timely journal reviews, 37, 523; safety-belt use in shopping carts, 37, 527; directive and non-directive, 38, 251; conflicting prompts and driver behavior, 38, 289; drivers at stop signs, 39, 117; tactile, effects on staff behavior, 39, 215; proximal, and food bank donations, 39, 249; use of seat belts and cell phones, 39, 341; integrity of, 39, 369; strengthening scientific verbal behavior, 40, 179; treatment of prompt dependence, 40, 489; three-step, effects on compliance, 40, 703
- prompting*, see also pictorial prompts, textual prompts
- protective equipment*, role of in functional analysis, 35, 69, 37, 73; and self-restraint, 40, 577
- prosthesis*, behavioral, for adults with mental retardation, 38, 163
- psychological behaviorism*, history of, 33, 263
- public address system*, effects on off-task behavior in physical education, 35, 305
- public policy*, behavioral assessment of, 31, 311
- public posting*, effects on football performance, 35, 1; effects on soccer performance, 35, 247; effects on bicycle helmet use, 40, 239
- publication history*, trends in *JABA* authorship, 31, 497, 33, 339
- punishment*, with functional communication training, 31, 211, 38, 51; effects of reinforcement during, 32, 317; response blocking as, 32, 367; delayed, 33, 615; review of basic and applied research, 35, 431, 465, 469, 475; and discovery research, 36, 35; preference for, 38, 51
- pyramidal training*, home-based with parents, 36, 77

-Q-

- quantitative analysis*, athletic performance and the matching law, 33, 137
- question asking*, about hidden objects in autism, 33, 627, 36, 285
- quiz performance*, effects of homework submission, 38, 79; effects of guided versus completed lecture notes, 39, 123

-R-

- radical behaviorism*, and behavior analysis, 31, 707
- reactivity*, of staff to observations, 40, 191
- reading*, effects of contingencies and instruction, 31, 659; brief experimental analysis of instructional components, 32, 83; acquisition and recombinatory generalization, 33, 97; blocking effect of pictorial prompts on sight reading, 33, 317; recombinative generalization and equivalence relations in, 33, 515; improving oral reading fluency, 35, 271, 37, 111, 40, 203; and adults with mental retardation, 36, 95; developing prerequisites for, 36, 95; assessment of teaching methods, 37, 339; interventions for oral fluency, 38, 485, 39, 323; response repetition and sight-word, 38, 511
- real-time recording*, observation and assessment, 32, 119
- recombinative generalization*, and equivalence relations in reading, 33, 515; of sound-print correspondences, 36, 95
- redirection*, response blocking, with and without, 34, 527
- rehabilitation*, vocational, for dually diagnosed veterans, 38, 359
- reinforcement*, to increase food acceptance, 31, 691; effects of pre-session vs. within-session choice, 32, 161; effects of delayed and intermittent, 32, 211; of compliance with respiratory treatment, 32, 233; positive versus negative and escape behavior, 32, 285; sensory reinforcement maintaining hair pulling, 32, 329; and "intrinsic" motivation, 32, 375; direct versus indirect contingencies of, 33, 1; of adaptive and maladaptive behavior, 33, 463; negative, and establishing operations, 33, 479; conditioned, role in preference for unreliable reinforcement, 33, 533; effects on sensitivity to, 33, 573; effects on verbal behavior in dementia, 33, 631; treatment for escape-maintained aggression, 34, 69; in natural environments, 34, 241; behavior change and

- maintenance without extinction, 35, 155; magnitude and quality of, 35, 171; negative and food selectivity, 35, 259; of self-injury during a tangible condition, 35, 283; negative, to reduce problem behavior, 35, 291; negative and food refusal, 35, 363, 36, 309; probability of, 35, 403; positive and negative in acquisition of cup drinking, 36, 89; escape from eating as negative, 36, 105; and inappropriate mealtime behavior, 36, 187; experimental demonstration, 36, 221; interaction with drug treatment, 36, 245; specific consequences for question asking, 36, 285; positive and food refusal, 36, 309; aversive stimuli in classroom demand contexts, 36, 339; changes in effectiveness of, 36, 421; intervention selection model for classrooms, 36, 563; adventitious, of a child's oppositional behavior, 37, 43; accuracy-based vs. time-based contingencies, 37, 53; of vocal verbal behavior, 37, 129; adventitious, and the matching law, 37, 249; designing control procedures, 38, 257; for smoking abstinence, 38, 349; leisure items as controls in functional analyses, 38, 417; effects of negative on response acquisition, 38, 511; historical precedents of positive, 39, 405; effects of contingent reinforcement in outpatient psychotherapy for depression, 39, 463; quality and schedule, 40, 25; embedded and sequential, 40, 249; of cocaine abstinence in methadone patients, 40, 387; effects on responding when provided postsession, 40, 515; pairing and fading, 40, 633; vs. no reinforcement during functional analysis, 40, 719
- reinforcement*, see also automatic reinforcement, conditioned reinforcement, differential reinforcement, intermittent reinforcement, noncontingent reinforcement, punishment, social reinforcement
- reinforcement delay*, and attention deficit hyperactivity disorder, 33, 233, 34, 397; applied relevance of basic research, 33, 359; tolerance for in mental retardation, 33, 611, 36, 263; basic research and socially important behavior, 34, 101; and self-control in autism, 34, 491; altering preference for, 37, 101; effects on infant sign language acquisition, 37, 379; as a form of time-out, 38, 195
- reinforcement magnitude*, and noncontingent reinforcement, 31, 313, 32, 529, 36, 525; effects on spontaneous recovery, 32, 197; during treatment with differential reinforcement, 35, 29; effects on functional analysis outcomes, 38, 147
- reinforcement schedules*, concurrent, 31, 43; effects under single and concurrent, 32, 479; progressive-ratio probe, 33, 73; thinning during functional communication training, 34, 17; and U.S. Congress, 36, 465; problems associated with thinning, 37, 323; sensitivity to contingencies on multiple schedules, 37, 517; and work behavior of adults with mental retardation, 38, 163; thinning after functional communication training, 38, 177; effectiveness of and preferences for variations of multiple, 39, 475; multiple, in treatment of problem behavior, 40, 89; percentile, 40, 475
- reinforcement schedules*, see also lag schedules
- reinforcer(s)*, assessment of with developmental disabilities, 31, 605, 34, 463, 38, 543, 39, 131, 501; duration and approach by severely handicapped, 32, 111; identification of in cigarette pica, 32, 297; assessment of tokens, 32, 375; preference as a function of assessment method, 32, 479; differential effects of quality on destructive behavior, 33, 79; complementary, and problem behavior, 33, 207; accuracy of surveys, 33, 335; choice in single-operant and concurrent-schedule procedures, 33, 347; assessment of in naturalistic context, 33, 353; computer-based assessment, 34, 57; assessment under progressive schedule requirements, 34, 145; identification and stability across time, 34, 179; single stimulus engagement preference assessment, 34, 475; assessment of maladaptive behavior, 35, 299; food as, 35, 411; variation, and satiation, 38, 317; assessment under open and closed economies, 38, 335; assessment of in students with emotional-behavioral disorders, 38, 399; stimulus variation, 38, 469; efficacy of high- and low-preference stimuli, 39, 131; substitutability of, 39, 137; pairing and fading, 39, 399; effectiveness in relation to stereotypy, 40, 761
- relational frame theory*, application to anxiety, 31, 137; substitutability and self-injury, 33, 29; and acceptance and commitment therapy (book review), 35, 323; combinatorial entailment, 38, 1; account of gambling, 39, 351; and relational operants, 40, 45
- reliability*, criteria in SURF & C, 31, 263
- replication*, of treatment of writer's block, 40, 773
- requesting*, teaching adults with developmental disabilities, 38, 101
- research*, and theory, 31, 503; methods in human operant behavior, 33, 119; contextualism in (book review), 34, 379; methods and training (book review), 37, 243
- research*, see also discovery research
- resistance*, reducing during teaching, 38, 221
- respondent relations*, neglect in behavior analysis, 31, 503
- response acquisition*, under direct and indirect reinforcement contingencies, 33, 1
- response allocation*, choice and aberrant behavior, 32, 371; basic research on delayed reinforcement, 33, 359; effects of magnitude and quality of reinforcement, 35, 171; to math worksheets on concurrent schedules, 37, 53; treatment of escape-reinforced aggression, 37, 239; effects of stimulant medication, 39, 243; in professional basketball, 40, 311
- response bias*, assessment of, 33, 73; effects of stimulant medication, 39, 243
- response blocking*, extinction versus punishment effects, 32, 367, 38, 391; with and without redirection, 34, 527; collateral effects of, 36, 119; in the treatment of pica, 38, 391; and automatic reinforcement, 39, 137; effects on reinforcer effectiveness, 40, 761
- response cards*, use of with learning disabilities, 37, 219; use with college students, 37, 405
- response chaining*, and automatic reinforcement, 31, 513
- response class*, generalization of a replacement mand, 31, 357; hierarchies and functional analysis, 32, 269; strategies for identifying hierarchies, 33, 313; assessment of hierarchies, 34, 61
- response competition*, role of preference, 38, 247

- response cost*, to treat sleep problems, 31, 127; treatment of habits, 32, 353; treatment of escape behavior, 33, 255; treatment of food refusal, 34, 93; treatment of automatically maintained behavior, 37, 83; to treat disruptive behavior, 37, 411; and seatbelt use, 38, 195; and simultaneous presentation to reduce food packing, 38, 405
- response covariation*, behavior allocation, 35, 65; between bizarre and nonbizarre speech, 36, 101
- response efficiency*, analyzing changes in, 34, 487
- response effort*, and response allocation, 31, 43; as treatment for hand mouthing, 31, 375; analysis of under different restraint conditions, 32, 525; as treatment for self-injury, 33, 29; in the treatment of pica, 35, 233
- response marking*, and conditioned reinforcement, 35, 187
- response practice*, effect of frequency, 31, 417
- response prevention hypothesis*, and treatment with dense reinforcement schedules, 37, 323
- response–reinforcer relations*, 33, 1
- response–response relations*, aberrant response as reinforcement, 31, 339; stereotypy as reinforcement, 31, 513
- response restriction*, and alternative behavior, 33, 285; for determining preferences, 36, 47; to treat stereotypy, 37, 481
- response variability*, in extinction, 34, 85; promoting in martial arts, 37, 185
- restraint*, in treatment for hand mouthing, 31, 375; effects on self-injury and adaptive behavior, 32, 525; detrimental effects of physical, 34, 501
- reversal design*, professional basketball shot allocation, 40, 311
- reviews*, prompting of timely journal reviews, 37, 523
- risk taking*, by gamblers, 36, 449
- risperidone*, rate-decreasing effects mediated by reinforcement, 36, 245
- rugby*, goal setting and performance, 39, 257
- rule-governed behavior*, instructional influence on functional analysis, 37, 509; in typical children, 37, 517
- rumination*, analysis and treatment of, 40, 743
- Russell, Bertrand*, influence on B. F. Skinner, 40, 587
- S-
- safety*, behavior-based, 32, 241, 39, 117; automobile, 33, 635; at stop signs, 34, 185, 39, 117; skills to prevent gun play, 37, 1, 513, 38, 395, 40, 691; skills for teenagers with autism, 37, 79; effects of observation on, 37, 457; of children in shopping carts, 37, 527; skills to prevent child abduction, 38, 67; in hospital operating rooms, 40, 673
- safety*, see also pedestrian safety, traffic safety
- safety belts*, practical interventions to increase use, 31, 655, 36, 249; increased use by elderly, 33, 635; use with children in shopping carts, 37, 527; and contingency by design, 38, 195; signs to prompt use of, 38, 533, 39, 341
- satiation*, and magnitude of reinforcement, 31, 313; during response acquisition, 33, 195; versus extinction effects under NCR, 33, 419; during NCR, 33, 433, 36, 525; to stimuli that compete with self-injury, 33, 623; to food as reinforcement, 35, 411; reconceptualization of, 36, 421; and preferences for tangible items, 38, 107; to food reinforcers, 38, 317; responding in a two-response chain, 39, 263
- scatter plot*, analysis of behavior disorders, 31, 593
- schedule density*, and fixed-time schedules, 34, 337
- schizophrenia*, and bizarre vocalizations, 34, 65
- school-based intervention*, treatment of self-injury, 31, 679; to improve bus-riding behavior, 36, 583; treatment integrity of, 40, 659
- script fading*, effects on autistic children's interactions, 31, 191; teaching social interactions, 34, 81
- self-catheterization*, compliance with procedures, 32, 217
- self-control*, increasing appropriate behavior, 31, 203; during athletic performance, 31, 489; assessment of, 32, 451; and attention deficit hyperactivity disorder, 33, 233, 34, 397; applied relevance of basic research, 33, 359; selection of more optimal reinforcers, 33, 611; basic research on temporal discounting, 34, 101; and autism, 34, 491; enhancing, 36, 263; developing preference for delayed outcomes, 36, 371; effects of reinforcer delay, 37, 101; effects of medication on in ADHD, 38, 135; computerized test of, 39, 147; and aversive events, 39, 227
- self-determination*, and severe multiple disabilities, 34, 341
- self-evaluation*, of medication effects on behavior, 33, 593
- self-feeding*, and developmental disabilities, 32, 225
- self-generated goals*, and rugby performance, 39, 257
- self-injurious behavior*, treatment with wrist weights, 31, 307; response effort as treatment for, 31, 375, 33, 29; functional analysis of, 31, 475, 669, 32, 149, 175, 33, 207, 451, 40, 333; treatment of, 31, 479, 493; assessment of, 31, 647; warning stimuli as treatment supplement, 31, 679; extinction of, 32, 1, 99; functional analysis and treatment of, 32, 51, 123, 247, 33, 223, 34, 17; and correlated negative affect, 32, 103; false-positive functional analysis and incidental reinforcement of, 32, 201; punishment of, 32, 317; effects of restraint on and performance of adaptive behavior, 32, 525; of persons with severe mental retardation, 33, 109; noncontingent and contingent reinforcement, 33, 195; and discrimination during multielement functional analyses, 33, 299; and functional communication training, 33, 321; satiation versus extinction effects, 33, 419; treatment with noncontingent arbitrary reinforcement, 33, 623; descriptive analysis of consequences following, 34, 169; during transitions, 34, 195; in typically developing adults, 34, 217; and the matching law, 35, 13; role of protective equipment, 35, 69, 37, 73; treatment of rapid eating, 35, 89; functional analysis of precursor behaviors, 35, 125; influence of therapist attention on, 35, 283; treatment of in young children, 36, 205; sequential and matching analysis of, 36, 267; and relation to self-restraint, 38, 537, 40, 577; and food refusal, 38, 549
- self-instruction*, and gross-motor skill training, 37, 305
- self-management*, by young children with disabilities, 36, 133; training skills with activity schedules, 37, 115
- self-monitoring*, and recording frequency, 32, 389; validat-

- ed with physical trace measures, 34, 217; effects on staff behavior, 39, 215; and recording of infant caregiving, 39, 489
- self-recording*, and maintenance of staff performance, 40, 191
- self-reports*, of adherence, 31, 485
- self-restraint*, as reinforcement, 31, 647; and self-injury, 38, 537, 40, 577
- self-rules*, in gambling, 39, 351
- sensory extinction*, as treatment for self-injury, 31, 635; and protective equipment, 32, 99; response blocking as, 32, 367; in treatment of finger sucking, 33, 41; in treatment of hair twirling, 34, 535
- sequential analysis*, of self-injury, 36, 267
- severe behavior disorders*, functional analysis of, 33, 247; identification of contingencies, 34, 269; observation of, 38, 373
- severe disabilities*, preference assessment in supported work, 31, 281; embedded assessment of preferences identified in person-centered plans, 33, 639; embedded teaching by support staff, 34, 313; self-determination in supported work, 34, 341; increasing choices through staff management, 36, 575; improving day-treatment services, 37, 365
- sex offenders*, with developmental disabilities, 39, 173
- sexual abuse*, prevention skills for mentally retarded adults, 31, 91, 32, 385
- sexual behavior*, treatment of inappropriate, 37, 401
- shaping*, of compliance with respiratory treatment, 32, 233; and Carl Jung, 32, 533; trailer loading of horses, 34, 409; of vocal verbal behavior, 37, 129; of approach responses in a child with autism, 39, 445; academic task engagement, 40, 475
- side effects*, of extinction, 32, 1, 197; of punishment, 35, 431; of response blocking, 36, 119
- sight reading*, see reading
- sign language*, acquisition by infants, 37, 379, 40, 15
- signs*, to reduce bathroom graffiti, 33, 89; increasing compliance at stop signs, 34, 185, 39, 117; to prompt safety belt use, 38, 533
- simplified habit reversal*, to treat trichotillomania, 31, 299; during athletic performance, 31, 489; to treat hair pulling, 31, 665
- simulation training*, compliance with medical procedures, 32, 217; of supported work skills, 39, 91
- single operant*, arrangements for choice, 33, 93
- single-subject design*, 31, 245
- skills training*, effect of form training on basketball performance, 34, 329
- skin picking*, and habit reversal, 34, 217, 39, 459
- Skinner, B. F.*, influence of Bertrand Russell, 40, 587
- sleep*, pediatric problems, 31, 127, 39, 423; problems in developmental disabilities, 37, 209; effects of disruption on treatment of feeding disorder, 38, 243
- smoking*, cessation, and mental retardation, 35, 415; voucher program for abstinence, 38, 349; contingency management for adolescents, 38, 463; reinforcement of abstinence, 40, 1
- soccer*, effects of public posting, goal setting, and oral feedback, 35, 247
- social activism*, newsletters as prompts, 37, 427
- social antecedents*, of children's eyewitness testimony, 36, 459
- social initiations*, use of a tactile prompt, 31, 651
- social interaction*, of autistic preschoolers with adults, 31, 191; increasing rate of, 32, 115; of adolescents in residential care, 33, 239; using video modeling to promote, 37, 93; using peer tutoring to promote, 40, 353; application of the matching law, 40, 589
- social reinforcement*, basic and applied implications, 34, 241
- social skills*, training in preschools, 31, 117; social validation of, 31, 431; training to increase interaction, 32, 115; teaching autistic children to ask questions, 33, 627; increasing social initiations in children with autism, 35, 79; tacting in children with autism, 39, 233; teaching children with autism to help, 40, 123
- social validation*, of conversational social skills, 31, 431; influence of Mont Wolf, 37, 555; direct assessment of, 39, 475
- society*, impact of technological behavior analysis, 31, 311; and theories of disability, 31, 509
- software*, for single-subject designs, 31, 245; designing for data collection, 36, 271
- special education*, recruiting teacher praise, 31, 399; implementation of behavior support plans, 40, 447
- speech*, assessment and treatment of bizarre, 36, 101, 37, 395; assessment of in autism, 38, 303, 40, 571
- speed skating*, performance enhancement, 35, 195
- spelling*, writing lists of picture names, 31, 1; constant delayed-prompt procedure to teach, 37, 469
- staff supervisors*, maintenance of performance, 35, 205
- staff training*, in community-based group homes, 32, 221; to implement functional analysis methodology, 33, 181, 40, 197; embedded teaching, 34, 313; in a dementia care unit, 36, 129; to provide choices, 36, 575; outcome management approach, 37, 365; discrete-trial teaching, 37, 535, 40, 339; feedback versus contingent money, 39, 63; effects on classroom management, 39, 215; improving frequency recording, 39, 253
- statistical analysis*, compared with visual inspection, 36, 387
- stereotypy*, as reinforcement for other aberrant behavior, 31, 513; self-injury as, 32, 51; and alternative behavior, 33, 285; multiple functions in autism, 33, 559; functional analysis of ear covering, 35, 95; treatment with response blocking, 36, 119; persistence of, 36, 439; analysis of response allocation, 37, 481; reduction through environmental enrichment, 38, 121; and matched stimulation, 39, 137, 40, 73; effects of pre-session attention, 39, 381; vocal in autism, 40, 263; and discrete-trial teaching, 40, 339; interaction with reinforcers, 40, 761
- stimulus assessment*, see assessment
- stimulus chains*, basic research on delayed reinforcement, 33, 359
- stimulus control*, in the use of written lists as mediating stimuli, 31, 1; concept acquisition, 31, 21; assessment

- in persons with autism, 31, 237; and functional communication training, 31, 543; of recycling, 31, 683; of in-home problem behavior, 32, 495; over task-relevant and task-irrelevant behavior, 33, 1; different therapists during functional analysis, 33, 247; over food stealing, 33, 615; book review, 33, 643; noncompliance and task completion, 34, 289; of diapers and accidents, 37, 97; derived transfer of, 38, 1; transfer of, 38, 499; during acquisition of sight words, 38, 511; restricted, expanding or modifying, 40, 707
- stimulus engagement*, validity of single assessment, 34, 475; over verbal behavior, 37, 517
- stimulus equivalence*, language arts instruction, 31, 21; application to anxiety, 31, 137; networks of behavioral relations in reading, 33, 97; and recombinative generalization in reading, 33, 515, 36, 95; delayed constructed-response matching to sample, 37, 223; computer-interactive match to sample, 38, 1; practical applications of, 39, 203; name-picture matching, 40, 105
- stimulus fading*, of food textures, 31, 621
- stimulus generalization gradients*, assessment of, 31, 479
- stimulus overselectivity*, in mental retardation, 32, 25; expanding or modifying, 40, 707
- stimulus preference assessment*, see preferences
- stimulus relations*, derived in adults with developmental disabilities, 38, 101
- stimulus signaling*, during noncontingent reinforcement, 40, 725
- stimulus variation*, treatment of self-injury, 33, 623; and the reinforcing capability of nonpreferred stimuli, 38, 469
- story problems*, precurrent behaviors in solving, 36, 21
- substance abuse*, see drug abuse
- substitute reinforcement*, and functional communication training, 31, 543; effects of postsession reinforcement on, 40, 515
- sufficient response exemplar training*, treatment of phonological disorder, 36, 325
- supported employment*, for persons with severe multiple disabilities, 31, 281; for adults with autism, 35, 85, 39, 91
- swallowing*, redistribution to reduce packing, 38, 39
- swimming*, recording frequency and self-monitoring, 32, 389
- symmetrical "do" and "don't" requests*, and treatment of aggression, 32, 519
- T-
- tacts*, acquisition of, 35, 419; the role of functional independence, 39, 17; teaching children with autism, 39, 233
- tangible condition*, influence of therapist attention on self-injury during, 35, 283
- tantrums*, assessment and treatment of, 39, 103
- tardive dyskinesia*, analogue functional analysis of, 37, 391; assessment and treatment of, 38, 239
- target training*, with horses, 34, 409
- task difficulty*, treatment at different reading levels, 31, 659; aversive stimuli in classroom demand contexts, 36, 339
- teachers*, acquisition of functional analysis methodology, 35, 73, 37, 89; teacher-directed vs. student-directed instruction, 36, 133; effects of feedback on implementation of behavior support plans, 38, 205; training professional skills, 39, 203; training student teachers, 39, 489; reports of toddlers' preferences, 40, 157; use of greetings to increase on-task behavior, 40, 317
- teaching*, effective tools for, 31, 673; educational technology, 32, 205; behavior analysis textbooks, 32, 535; use of response cards in college, 37, 405; dictated-word/symbol relations, 37, 503; enriched, to reduce unhappiness, 38, 221; supported work skills, 39, 91; classwide with preschoolers, 40, 277
- Teaching-Family Model*, influence of Mont Wolf, 37, 555, 38, 279
- technology*, to increase compliance at stop signs, 34, 185; pagers to teach safety skills, 37, 79
- telemedicine*, to conduct behavioral assessments, 39, 333
- temporal discounting*, basic research and socially important behavior, 34, 101
- terminology*, behavior-analytic, 36, 407; revising behavior-analytic, 36, 421
- textbooks*, for introductory behavior analysis, 32, 535, 34, 551
- textual prompts*, self-assessment of blood glucose level, 33, 251
- theory*, broadening to be more comprehensive, 31, 503
- therapeutic recreation*, with special populations, 31, 163
- therapists*, different adults during functional analysis, 33, 247
- thumb sucking*, transitional objects as establishing operation, 33, 507; treatment with awareness enhancement device, 34, 77
- tics*, influence of tic-related talk, 34, 353; assessment via direct observation, 39, 429; exposure and response prevention, 39, 441
- tics*, see also habits, vocal tic
- time-based schedules*, as treatment, 32, 239
- toilet training*, effects of diaper use, 37, 97; effects of undergarment type, 39, 363
- token economy*, and "intrinsic" motivation for doing math, 32, 375; development by Mont Wolf, 38, 279; historical antecedents, 38, 427
- Tourette's syndrome*, tics in, 34, 353, 36, 109, 37, 417, 39, 429, 441
- traffic safety*, at stop signs, 34, 185; effects of prompts, 38, 289, 533; use of seat belts and cell phones, 39, 341
- trailer loading*, of horses, 34, 409
- transformation*, behavioral functions of stimuli, 39, 299
- transitional objects*, as establishing operations for thumb sucking, 33, 507
- transitions*, student compliance during, 32, 339; assessment and treatment of self-injury during, 34, 195; improving toddler compliance, 38, 235; assessment and treatment of tantrums during, 39, 103
- translational research*, introduction, 36, 415; and pediatric

feeding disorders, 36, 545; and object mouthing, 36, 579; treatment of escape-reinforced aggression, 37, 239
treatment, challenges and manipulation of integrity, 32, 9; of child behavior disorders, 32, 245; of problem behavior, 32, 393; integrity of, 33, 167, 35, 337, 36, 545, 38, 205, 40, 447; adherence parameters, 33, 373; of disruptive behavior, 35, 137; multicomponent interventions, 35, 195; improving oral reading fluency, 35, 271; of severe behavior disorders with punishment, 35, 431; managing child behavior problems, 36, 141; assessing acceptability of, 36, 563; antecedent procedures, 38, 235; integrity of prompting, 39, 369; integrity in school-based studies, 40, 659
trichotillomania, treatment of, 31, 299; functional analysis of, 32, 329
trigonometry, formula-to-graph relations, 39, 299
tutoring, teaching Chinese pronunciation, 40, 583
tutoring, see also peer tutoring

-U-

unit price, evaluation of severe problem behavior, 40, 463; and DRO schedule thinning, 40, 529
United States Congress, procrastination by, 36, 465
university courses, computer accessible, 32, 205

-V-

variability, reinforcement of in autism, 33, 151, 35, 391
variable-time schedules, as treatment for severe behavior disorders, 33, 545; reductive effects of noncontingent reinforcement, 34, 505
vehicle, instrumented to measure driving behavior, 34, 39
verbal behavior, of heroin addicts, 31, 291; mands, 33, 627; remediation in severe dementia, 33, 631; functional analysis of inappropriate, 34, 361; verbally controlled behavior, 35, 375; increasing variability, 35, 391; acquisition of tacts, 35, 419; echoic influence over bizarre speech, 36, 101; perseverations of an adult with autism, 36, 259; manding for verbal stimuli, 36, 285; children's eyewitness testimony, 36, 459; treatment of noncompliance, 38, 251; functional analysis of in autism, 38, 303, 40, 571; mand-tact training, 39, 17; emergence of novel mands, 40, 137; strengthening scientific, 40, 179; vocal stereotypy in autism, 40, 263;

intraverbal training, 40, 411; training in developmental disabilities, 40, 431; matching law and social dynamics, 40, 589; emergence of intraverbal antonyms, 40, 697

verbal behavior, see also mands, tacts

verbal imitation training, improving articulation, 36, 325
verbalization, teaching children with autism, 31, 651

video modeling, teaching children with autism, 36, 253, 37, 93, 40, 123; to increase compliance with dental procedures, 37, 233; and staff acquisition of functional analysis methodology, 40, 197; teaching adolescents with autism, 40, 345; effects on inappropriate maternal behavior, 40, 737

videotape feedback, and social communication in autism, 34, 425

visual inference, Type I errors, 36, 387

visual inspection, structured criteria for AB designs, 36, 387, 40, 713

vocal tic, treatment of, 31, 471, 36, 109, 38, 129

vocalizations, functional analysis of bizarre, 34, 65; treatment of inappropriate, 37, 83

vocational tasks, duration-based measures of preference, 35, 287

voice output communication aid, with autistic children, 31, 561

vouchers, to promote smoking abstinence, 38, 349

-W-

wandering, treatment of in geriatric patients, 32, 381, 37, 107

waste reduction, reusable dinnerware in a cafeteria, 40, 301

weight loss, through increased physical activity, 37, 421

weights, to treat self-injury, 31, 307

Williams syndrome, and hyperacusis, 33, 511

Wolf, Montrose M., in memory of, 37, 555, 38, 279

work, behavior of adults with mental retardation, 38, 163; graphic and verbal feedback to employees, 38, 411

Wright, Mary Louise, retirement of, 36, 137

writer's block, treatment of, 773

writing, response cards in instruction, 37, 219; and spelling under stimulus control of spoken words, 37, 223; Internet-based intervention to increase productivity, 39, 393; skills of adolescents with autism, 40, 345